ANNUAL INDEX

VOLUME 12

1977

AUTHORS

A

Abraham, S., Hope McGrath, and G. Ananda Rao. Short communication re: Stimulation of hepatic lipogenesis by eicosa-5,8,11,14-tetraynoic acid in mice fed a high linoleate diet, 446
Ackman, R. G. BF_3-MeOH: A single reagent for ozonolysis of monoethylenic unsaturation, 293
—— See G. W. Forsyth
—— See M. Paradis
Acton, June M. See Terence T. Yen
Adler, John H., Michael Young, and William R. Nes. Determination of the absolute configuration at C-20 and C-24 of ergosterol in ascomycetes and basidiomycetes by proton magnetic resonance spectroscopy, 364
Albert, Daniel H. and Carl E. Anderson. Ether-linked glycerolipids in human brain tumors, 188
—— and C. E. Anderson. Fatty acid composition at the 2-position of ether-linked and diacyl ethanolamine and choline phosphoglycerides of human brain tumors, 722
Allan, Jean A. See Terence T. Yen
Amic, J. See G. Nalbone
Anderson, C. E. See D. H. Albert
The Aspirin Myocardial Infarction Research Group. An intervention study—The Aspirin Myocardial Infarction Study, 59
Autor, A. P. See J. P. Kehrer
Axelrod, B. See G. S. Bild
Ayala, S., R. R. Brenner, and C. G. Dumm. Effect of polyunsaturated fatty acids of the α-linolenic series on the development of rat testicles, 1017

B

Baker, N. See R. Kannan
Balis, J. U. See S. A. Shelley
Bankoski, J. See P. P. Nair
Barakat, H. A., E. B. Tapscott, and C. Smith. Glyceride metabolism in the myopathic hamster, 550
Bard, M., R. A. Woods, D. H. R. Barton, J. E. T. Corrie, and D. A. Widdowson. Sterol mutants of *Saccharomyces cerevisiae:* Chromatographic analyses, 645
Barnhart, J. W., D. J. Rytter, and J. A. Molello. An overview of the biochemical pharmacology of probucol, 29
Barton, D. H. R. See M. Bard
Bazàn, Nicholàs G. See Ana M. Pechèn
Beare-Rogers, J. L. and E. A. Nera. Nutritional effects of partially hydrogenated low erucic rapeseed oils, 769
—— See G. O. Korsrud
Bell, F. P. and P. J. Gillies. Effect of dietary di-2-ethylhexyl phthalate on oxidation of ^{14}C-palmitoyl CoA by mitochondria from mammalian heart and liver, 581
Berenson, G. S. See R. R. Bhandaru
Berger, P. J. See K. D. Wiggers
Bergot, P. See C. Leger
Berthold, C. -H. See C. Hildebrand
Bezard, J. See N. Ong
Bhandaru, R. R., S. R. Srinivasan, P. S. Pargaonkar, and G. S. Berenson. Short communication re: A simplified colorimetric micromethod for determination of serum cholesterol, 1078
Bieri, J. G. and E. L. May. Letter to the editor re: A convenient synthesis of dialuric (5-hydroxybarbituric) acid, 981
Bild, G. S., C. S. Ramadoss, and B. Axelrod. Effect of substrate polarity on the activity of soybean lipoxygenase isoenzymes, 732
Birch, E. J. See C. B. Johnson
Bitman, J. See J. A. Svoboda
Blumenthal, H. Peter, Jerome R. Ryan, Adesh K. Jain, and F. Gilbert McMahon. Gemcadiol: a new antilipemic drug, a clinical trial, 44
Body, D. R. Characterization of bovine rumen liquor isoprenoid hydrocarbons with reference to dietary phytol, 204
Bohannon, Maerean B. and Robert Kleimann. Short communication re: Myristicin. The major volatile component in mature seed of *Portenschlagia ramosissima,* 321
Boon, J. J., B. van de Graaf, P. J. W. Schuyl, F. de Lange, and J. W. de Leeuw. The mass spectrometry of iso and anteiso monoenoic fatty acids, 717
Boquillon, M., R. Paris, and J. Clement. The effect of various dietary factors on the size distribution of lymph fat particles in rat, 500
Bradley, D. D. See F. T. Lindgren
Brenneman, Douglas E. See Richard McGee, Jr.
Brenner, R. R. See S. Ayala
—— See J. E. A. de Moreno
Brockerhoff, H. See J. W. Fong
—— See L. J. Tirri
Buchwald, Henry, Richard B. Moore, and Richard L. Varco. Maximum lipid reduction by partial ileal bypass: a test of the lipid-atherosclerosis hypothesis, 53
Buckelew, A. R., Jr. See G. Colacicco
Buddecke, E. See I. Filipovic
Budowski, P. See D. Sklan
Burns, C. P., D. G. Luttenegger, S. L. Wei, and A. A. Spector. Modification of the fatty acid composition of L1210 murine leukemia cells, 747
Buse, M. G. See L. W. Stillway

C

Caffrey, M. and J. E. Kinsella. Kinetics of a micelle specific palmitoyltransferase isoenzyme of rabbit mammary gland, 556
Canioni, P., R. Julien, J. Rathelot, and L. Sarda. Pancreatic and microbial lipases: a comparison of the interaction of pancreatic colipase with lipases of various origins, 393
Cannell, G. R. See Malcolm McCamish
Carroll, K. K. See R. M. G. Hamilton
Carter, K. E. See G. W. Forsyth
Caruso, Ramon See Fumiko U. Rosenstein
Cayen, M. N., J. Dubuc, and D. Dvornik. Effect of tibric acid on hepatic cholesterol synthesis in rats, 684
Chan, Henry W. -S. and Gordon Levett. Autoxidation of methyl linoleate. Separation and analysis of isomeric mixtures of methyl linoleate hydroperoxides and methyl hydroxylinoleates, 99
—— and G. Levett. Autoxidation of methyl linolenate: Analysis of methyl hydroxylinolenate isomers by high performance liquid chromatography, 837
—— See J. A. Matthew
Cherry, Lois M. See Malcolm McCamish
Chevallier, R. See D. Mathé
Cho, B. H. S., D. M. Irvine, and J. B. M. Rattray. Identification of positional isomers of lysophosphatides in butter serum, 983
Christie, W. W. See R. C. Noble
Clark, L. See M. A. Williams
Clark, S. J. See D. M. Sharaf
Clement, J. See M. Boquillon
Coe, Elmon L. See Byron H. Long
Colacicco, G., A. K. Ray, and A. R. Buckelew, Jr. Pulmonary surfactant: Distribution of lipids, proteins and surface activity in ultracentrifugation of rabbit pulmonary washing and derived fractions, 879
Conacher, H. B. S. See G. O. Korsrud
Coniglio, J. G. and D. G. Harris. Fatty acid composition of selected organs of gerbils maintained on a fat-deficient or fat-supplemented diet, 741
Cook, G. A. See E. Panek
Cornell, N. W. See E. Panek
Corner, A. H. See H. W. Hulan
Corrie, J. E. T. See M. Bard

Crosland, S. See M. Waite
Crotte, C. See M. O. Reynier
Curley-Joseph, Jean and Thomas O. Henderson. 2-Aminoethylphosphonic acid metabolism in rat, 75

D

Davidson, Warren D. See Robert J. Morin
Davies, R. E. See M. K. Logani
Day, Charles E. See Paul E. Schurr
de Lange, F. See J. J. Boon
de Leeuw, J. W. See J. J. Boon
Demopoulos, H. B. See M. L. Seligman
de Moreno, J. E. A., V. J. Moreno and R. R. Brenner. Lipid metabolism of the yellow clam, *Mesodesma mactroides*: 3-saturated fatty acids and acetate metabolism, 804, erratum, 1084
Deshmukh, D. S. See J. W. Fong
Dewailly, P., G. Sezille, A. Nouvelot, J. C. Fruchart, and J. Jaillard. Changes in rat heart phospholipid composition after rapeseed oil feeding, 301
Dhopeshwarkar, G. A. and C. Subramanian. Short communication re: Lipogenesis in the developing brain from intracranially administered [1-^{14}C] acetate and [U-^{14}C] glucose, 762
Dillard, Cora J., Erich E. Dumelin, and Al L. Tappel. Effect of dietary vitamin E on expiration of pentane and ethane by the rat, 109
Domingo, N. See G. Nalbone
Douglas, D. E. and L. E. Francis. The preparation, gas liquid chromatography, and some physical and chemical properties of certain higher aliphatic 2,4-diketones—a new lipid class, 635
Downing, D. T. See D. M. Sharaf
Dubuc, J. See M. N. Cayen
Dumelin, E. E. and A. L. Tappel. Hydrocarbon gases produced during in vitro peroxidation of polyunsaturated fatty acids and decomposition of preformed hydroperoxides, 894
—— See Cora J. Dillard
Dumm, C G. See S. Ayala
Dutky, S. R. See J. A. Svoboda
Dvornick, D. See M. N. Cayen
Dyer, R. A. and W. E. Klopfenstein. Effects of ethionine and phenobarbital on the phosphatidylcholines of rat liver, 889

E

Egge, Heinz See Brigitte Schmitz
Eisele, T. A. See J. E. Nixon
Elfring, Gary L. See William A. Phillips
Ellington, J. J. See P. F. Schlotzhauer
el Lozy, M. See R. J. Nicolosi
Emken, E. A. See H. Rakoff
Erdahl, W. L. and O. S. Privett. A new system for lipid analysis by liquid chromatography-mass spectrometry, 797
Evans, A. J. See R. C. Noble

F

Fallon, W. E. and Y. Shimizu. Sorbic acid containing triglycerides in aphids and their fractionation by high pressure liquid chromatography, 765
Fash, Frank J. See Andrew E. Gal
Fatemi, S. H. and E. G. Hammond. Glyceride structure variation in soybean varieties: I. Stereospecific analysis, 1032
—— and E. G. Hammond. Glycerides structure variation in soybean varieties: II. Silver ion chromatographic analysis, 1037
Ferretti, Aldo and Vincent P. Flanagan. Tissue variation in hydrocarbon composition in the rabbit, 198
Fidge, Noel H. See Parissa Poulis
Filipovic, I. and E. Buddecke. p-Chlorophenoxyisobutyrate enhanced retention of homologous lipoproteins by human aortic smooth muscle cells, 1069
Finkel, Marion J. FDA considerations regarding new hypolipidemic agents, 64
Fisher, M. M. See I. M. Yousef
Flamm, E. S. See M. L. Seligman
Flanagan, Vincent P. See Aldo Ferretti
Flanzy, J. See C. Leger
Fong, J. W., L. J. Tirri, D. S. Deshmukh, and H. Brockerhoff. Studies on the hydrogen belts of membranes: I. Diester, diether, and dialkyl phosphatidylcholines and polyoxyethylene glycerides in monolayers with cholesterol, 857
Forbes, P. D. See M. K. Logani
Forsyth, G. W., K. E. Carter, F. M. Loew, and R. G. Ackman. Heart mitochondrial metabolism after feeding herring oil to rats and monkeys, 791
Francis, L. E. See D. E. Douglas
Frankel, E. N., W. E. Neff, W. K. Rohwedder, B. P. S. Khambay, R. F. Garwood, and B. C. L. Weedon. Analysis of autoxidized fats by gas chromatography—mass spectrometry: I. Methyl oleate, 901
—— W. E. Neff, W. K. Rohwedder, B. P. S. Khambay, R. F. Garwood, and B. C. L. Weedon. Analysis of autoxidized fats by gas chromatography—mass spectrometry: II. Methyl linoleate, 908
—— W. E. Neff, W. K. Rohwedder, B. P. S. Khambay, R. F. Garwood, and B. C. L. Weedon. Analysis of autoxidized fats by gas chromatography—mass spectrometry: III. Methyl linolenate, 1055
Freeman, Michael, Lois Kuiken, James B. Ragland, and Seymour M. Sabesin. Short communication re: Hepatic triglyceride lipase deficiency in liver disease, 443
Fruchart, J. C. See P. Dewailly

G

Gal, Andrew E. and Frank J. Fash. Letter to the editor re: Preparation of phosphorylcholine from phosphorylcholine chloride calcium salt, 314
Galliard, T. See J. A. Matthew
Gardner, H. W. and R. Kleiman. A soy extract catalyzes formation of 9-oxo-*trans*-12,13-epoxy-*trans*-10-octadecenoic acid from 13-hydroperoxy-*cis*-9,*trans*-11-octadecadienoic acid, 941
—— R. Kleiman, D. Weisleder, and G. E. Inglett. Cysteine adds to lipid hydroperoxide, 655
—— See D. J. Sessa
Garwood, R. F. See E. N. Frankel
Geelen, M. J. H., W. J. Vaartjes, and D. M. Gibson. Levels of cyclic 3'-5'-adenosine monophosphate (cAMP) in maintenance cultures of rat hepatocytes in response to insulin and glucagon, 577
Gerolami, A. See M. O. Reynier
Gibbons, G. F. See W. R. Nes
Gibson, D. M. See M. J. H. Geelen
Gilbert, J. J. See M. E. Kabay
Gillies, P. J. See F. P. Bell
Giudicelli, Y. See D. Sabourault
Glass, R. L., T. P. Krick, D. L. Olson, and R. L. Thorson. The occurrence and distribution of furan fatty acids in spawning male freshwater fish, 828
Gobran, L. I. See S. A. Rooney
Goldrick, R. B. See Rosemary L. Ryall
Goldstein, B. D. See M. L. Seligman
Gorelik, M. See P. P. Nair
Greenberg, Mark M. See Terence T. Yen
Greenspan, M. D., R. C. Mackow, and S. Omura. The effect of cerulenin on sterol biosynthesis in *Saccharomyces cerevisiae*, 729
Grogan, W. M. See J. E. MacNintch
Guo, Luke S. S. See Robert J. Morin

H

Hamilton, James G. See Ann C. Sullivan
Hamilton, R. M. G. and K. K. Carroll. Plasma cholesterol levels in suckling and weaned kittens, puppies, and guinea pigs, 145
Hammond, E. G. See S. H. Fatemi
—— See W. -S. D. Wong
Harris, B. See W. R. Nes
Harris, D. G. See J. G. Coniglio
Harris, R. A. See J. E. MacNintch
Hashimoto, Y. See Y. Kawashima
Hattori, Yuji See Shiro Urano
Hauton, J. C. See G. Nalbone
Hawke, J. C. See I. M. Morrison
Hayashi, Kenji See Toru Takagi
Hayes, K. C. See R. J. Nicolosi
Hays, P. R., L. W. Parks, H. D. Pierce, Jr., and A. C. Oehlschlager. Accumulation of ergosta-8, 14-dien-3β-ol by *Saccharomyces cerevisiae* cultured with an azasterol antimycotic agent, 666.
Hemler, M. E. and W. E. M. Lands. Biosynthesis of prostaglandins, 591
Henderson, Thomas O. See Jean Curley-Joseph
Herman, G. See P. P. Nair
Herrera, M. G. See R. J. Nicolosi
Hildebrand, C. and C. H. Berthold. Free and esterified cholesterol in developing feline white matter, 711
Ho, W. K. K. and K. F. Shortridge. Serum lipoproteins as inhibitors of haemagglutination by rubella virus, 85
Holloway, C. T. and P. W. Holloway. The dietary regulation of stearyl coenzyme A desaturase activity and membrane fluidity in the rat aorta, 1025
Holloway, P. W. See C. T. Holloway
Holub, B. J., J. Piekarski, and J. F. Leatherland. Short communication re: Differential biosynthesis of molecular species of 1,2-diacyl-*sn*-glycerols and phos-

phatidylcholines in cold and warm acclimated goldfish (*Carassius auratus*, L.)
—— See S. Hung
—— See I. M. Yousef
Hopkins, G. J. and C. E. West. Diet-induced changes in the fatty acid composition of mouse hepatocyte plasma membranes, 327
Hsu, C. M. L. and F. A. Kummerow. Influence of elaidate and erucate on heart mitochondria, 486
Huang, C. A structural model for the cholesterol-phosphatidylcholine complexes in bilayer membranes, 348
Hulan, H. W. and J. K. G. Kramer. The effect of long-chain monoenes on prostaglandin E_2 synthesis by rat skin, 604
—— J. K. G. Kramer, and A. H. Corner. The effect of dietary fatty acid balance on myocardial lesions in male rats, 951
—— See John K. G. Kramer
Hung, S., T. Umemura, S. Yamashiro, S. J. Slinger, and B. J. Holub. The effects of original and randomized rapeseed oils containing high or very low levels of erucic acid on cardiac lipids and myocardial lesions in rats, 215

I

Imai, Yoh. See Takako Okayasu
Infante, J. P. and J. E. Kinsella. Phospholipid synthesis in mammary tissue. Choline and ethanolamine kinases: kinetic evidence for two discrete active sites, erratum, 408
Inglett, G. E. See H. W. Gardner
Irvine, D. M. See B. H. S. Cho
Itabashi, Y. See T. Takagi
Itoh, T. and H. Kaneko. The *In vivo* incorporation of [^{32}P]-labeled orthophosphate into pyrophosphatidic acid and other phospholipids of *Cryptococcus neoformans* through cell growth, 809
IUPAC-IUB Commission on Biochemical Nomenclature. The nomenclature of Lipids, recommendations (1976), 455

J

Jacobson, N. L. See K. D. Wiggers
Jaillard, J. See P. Dewailly
Jain, Adesh K. See H. Peter Blumenthal
James, A. T. See R. Jeffcoat
Jarvis, G. A. See G. O. Korsrud
Jeffcoat, R. and A. T. James. Interrelationship between the dietary regulation of fatty acid synthesis and the fatty acyl-CoA desaturases, 469
—— and M. R. Pollard. Studies on the inhibition of the desaturases by cyclopropenoid fatty acids, 480
Jensen, Robert G. See Kathleen E. McMahon
Jie, M. S. F. L. K. See H. J. Lin
Johnson, C. B., E. Wong, E. J. Birch, and R. W. Purchas. Analysis of 4-methyloctanoic acid and other medium chain-length fatty acid constituents of ovine tissue lipids, 340
Joseph, J. See W. R. Nes
Julien, R. See P. Canioni
Jutagir, R. See F. T. Lindgren

K

Kabara, J. J., R. Vrable, and M. S. F. Lie Ken Jie. Antimicrobial lipids: Natural and synthetic fatty acids and monoglycerides, 753
Kabay, M. E. and J. J. Gilbert. Short communication re: A new rotifer-based assay for tocopherol, 875
Kaneko, Hiroshi, Masako Hosohara, Masamichi Tanaka, and Toshihiro Itoh. Lipid composition of 30 species of yeast, erratum, 408
—— See T. Itoh
Kannan, R. and N. Baker. Hypertriglyceridemia in Ehrlich ascites carcinomatous mice: tumor and mouse strain differences, 153
Kaplanis, J. N. See J. A. Svoboda
Kawashima, J., Y. Suzuki, and Y. Hashimoto. Dietary control of the chain elongation of palmityl-CoA in rat liver microsomes, 434
Kehrer, J. P. And A. P. Autor. Changes in the fatty acid composition of rat lung lipids during development and following age-dependent lipid peroxidation, 596
Kelley, W. D. See J. D. Weete
Khambay, B. P. S. See E. N. Frankel
King, L. See M. Waite
Kinsella, J. E. See M. Caffrey
Kircher, Henry W. See Fumiko U. Rosenstein
—— See T. Shimadate
Kleiman, R., R. D. Plattner, and G. F. Spencer. *Alchornea cordifolia* seed oil: A rich source of a new C_{20} epoxide, (+) *cis*-14,15-epoxy-*cis*-11-eicosenoic acid, 610
—— See Maerean B. Bohannon
—— See H. W. Gardner
—— See D. J. Sessa
Klopfenstein, W. E. See R. A. Dyer
Korsrud, G. O., H. B. S. Conacher, G. A. Jarvis, and J. L. Beare-Rogers. Studies on long chain *cis*- and *trans*-acyl-CoA esters and acyl-CoA dehydrogenase from rat heart mitochondria, 177
Kramer, John K. G. and Howard W. Hulan. Changes in the acyl and alkenyl group composition of cardiac phospholipids in boars fed corn oil or rapeseed oil, 159
—— See H. W. Hulan
Krevitz, K. See W. R. Nes
Krick, T. P. See R. L. Glass
Kritchevsky, David. Diet and cholesteremia, 49
—— Shirley A. Tepper and Jon A. Story. Linoleic acid amides: Effect on cholesteremia and atherosclerosis, 16
—— See J. J. Myher
Kucera, L. See M. Waite
Kuck, J. C. See A. J. St. Angelo
Kuiken, Lois. See Michael Freeman
Kuksis, A. See J. J. Myher
—— See S. K. F. Yeung
Kummerow, F. A. See C. M. L. Hsu

L

Lafont, H. See G. Nalbone
Lairon, D. See G. Nalbone
Lands, W. E. M. See M. E. Hemler
Layshot, L. See F. T. Lindgren
Leatherland, J. F. See B. J. Holub
Lecerf, J. See N. Ong
Lee, C. L. H. See H. J. Lin
Lee, D. H. S. See H. J. Lin
Leger, C., P. Bergot, J. Luquet, J. Flanzy, and J. Meurot. Specific distribution of fatty acids in the triglycerides of rainbow trout adipose tissue, influence of temperature, 538
Levett, G. See H. W. -S. Chan
Lie Ken Jie, M. S. F. See J. J. Kabara
Lin, H. J., M. S. F. L. K. Jie, C. L. H. Lee, and D. H. -S. Lee. Composition of *O*-alkyl and *O*-alk-1-eny moieties in the glycerolipids of the human adrenal, 620
Lindgren, F. T., A. Silvers, R. Jutagir, L. Layshot, and D. D. Bradley. A comparison of simplified methods for lipoprotein quantification using the analytic ultracentrifuge as a standard, 278
Litchfield, C. See R. W. Morales
Loew, F. M. See G. W. Forsyth
Logani, Mahendra K., David B. Nhari, and Ronald E. Davies. Composition of novel triesters from the skin of the rhino mutant mouse, 283
—— D. B. Nhari, P. D. Forbes, and R. E. Davies. Short communication re: Diester waxes from skin lipids of the feet of biotin depleted and biotin supplemented turkey poults, 626
Long, Byron H. and Elmon L. Coe. Fatty acid compositions of lipid fractions from vegetative cells and mature sorocarps of the cellular slime mold *Dictyostelium discoideum*, 414
Lough, A. K. The phytanic acid content of the lipids of bovine tissues and milk, 115
Luquet, P. See C. Leger
Luttenegger, D. G. See C. P. Burns

M

Mackow, R. C. See M. D. Greenspan
MacNintch, J. E., R. A. Harris, W. M. Grogan, C. L. Villemez, Jr., and F. W. Quackenbush. Arylsulfonate esters as hypocholesteremic agents: III. Mechanism of action studies, 819
—— See F. W. Quackenbush
Madrigal, R. V., G. F. Spencer, R. D. Plattner, and C. R. Smith, Jr. Alkyl- and Alkenylresorcinols in *Rapanea laetevirens* seed lipids, 402.
—— See C. R. Smith, Jr.
Mandel, Lewis R. Studies on the mechanism of action of halofenate, 34
Marai, L. See J. J. Myher
—— See S. K. F. Yeung
Marteau, Ch. See M. O. Revnier
Mathé, D. and R. Chevallier. Effects of a single ingestion of sodium taurocholate in esterified cholesterol concentration in liver and cholesterol turnover in the rat, 676
Matsuo, Mitsuyoshi See Shiro Urano

Matthew, J. A., H. W. -S. Chan, and T. Galliard. Short communication re: A simple method for the preparation of pure 9-D-hydroperoxide of linoleic acid and methyl linoleate based on the positional specificity of lipoxygenase in tomato fruit, 324
Mattos, W. See D. L. Palmquist
May, E. L. See J. G. Bieri
McCamish, Malcolm, G. R. Cannell, and Lois M. Cherry. The nonpolar egg wax lipids of the cattle tick, *Boophilus microplus* (Canestrini), 182
McGee, Richard, Jr., Douglas E. Brenneman, and Arthur A. Spector. Regulation of fatty acid biosynthesis in Ehrlich cells by ascites tumor plasma lipoproteins, 66
McGrath, Hope. See S. Abraham
McKean, Margaret L. and William R. Nes. Delayed conversion of squalene to sterols during development of *Pinus pinea* seeds, 382
McMahon, F. Gilbert. See H. Peter Blumenthal
McMahon, Kathleen E., Robert E. Pitas, and Robert G. Jensen. Short communication re: Glycerol ester hydrolase activity in the pulp of unerupted calves' teeth, 238
Mead, J. F. See G. -S. Wu
Mendeloff, A. I. See P. P. Nair
Meurot, J. See C. Leger
Miguel, S. G. Short communication re: Fatty acid and sterol synthesis by rat small intestine in vitro, 1080
Miller, R. W., D. Weisleder, R. D. Plattner, and C. R. Smith, Jr. *cis*-Enediyne chromophore of isano oil, 669
Molello, J. A. See J. W. Barnhart
Moore, J. H. See R. C. Noble
Moore, Richard B. See Henry Buchwald
Morales, R. W. and C. Litchfield. Incorporation of 1-^{14}C-acetate into C_{26} fatty acids of the marine sponge *Microciona prolifera*, 570
Moreno, V. J. See J. E. A. de Moreno
Morin, Robert J., Warren D. Davidson, S. Joan Rorke, and Luke S. S. Guo. Lipid metabolism in plasma, liver, and adipose tissue of rats with experimental chronic nephrotic syndrome, 208
Morrison, I. M. and J. C. Hawke. Positional distribution of fatty acids in the triglycerides of bovine milk fat with elevated levels of linoleic acid, 1005
—— and J. C. Hawke. Triglyceride composition of bovine milk fat with elevated levels of linoleic acid, 994
Morton, W. T., E. M. Stearns, Jr., and H. H. O. Schmid. Short communication re: Hydrolysis of *bis*-phosphatidic acid from developing soybean by phospholipase A_2, 1083
—— See E. M. Stearns, Jr.
Motoyama, E. K. See S. A. Rooney
Mule, A. See M. O. Reynier
Murawski, Uwe. See Brigitte Schmitz
Myher, J. J., L. Marai, A. Kuksis, and D. Kritchevsky. Acylglycerol structure of peanut oils of different atherogenic potential, 775
—— See S. K. F. Yeung

N

Nair, P. P., A. I. Mendeloff, M. Vocci, J. Bankoski, M. Gorelik, G. Herman, and R. Plapinger. Lithocholic acid in human liver: Identification of ε-lithocholyl lysine in tissue protein, 922
Nalbone, G., D. Lairon, H. Lafont, J. Amic, N. Domingo, and J. C. Hauton. A comparative in vivo study of intestinal absorption of biliary phosphatidylcholines and micellar phosphatidylcholines in the rat, 149
Nardone, L. L. See S. S. Rooney
Natale, N. A mass spectrometric survey of some biologically important lipids, 847
Natarajan, V. and H. H. O. Schmid. Short communication re: Chain length specificity in the utilization of long chain alcohols for ether lipid biosynthesis in rat brain, 872
—— and H. H. O. Schmid. Short communication re: 1-Docosanol and other long chain primary alcohols in developing rat brain, 128
Neff, W. E. See E. N. Frankel
Nelson, M. S., H. E. Pattee, and J. A. Singleton. Calcium activation of peanut lipoxygenase, 418
Nera, E. A. See J. L. Beare-Rogers
Nes, W. D. See W. R. Nes
Nes, W. R., K. Krevitz, J. Joseph, W. D. Nes, B. Harris, G. F. Gibbons, and G. W. Patterson. The phylogenetic distribution of sterols in tracheophytes, 511
—— See John H. Adler
—— See Margaret L. McKean
Nevenzel, J. C. See N. W. Withers
Nhari, D. B. See M. K. Logani
Nicolosi, R. J., K. C. Hayes, M. el Lozy, and M. G. Herrera. Hypercholesterolemia and triglyceride secretion rates in monkeys fed different dietary fats, 936
Nixon, J. E., J. K. Yoss, T. A. Eisele, N. E. Pawlowski, and R. O. Sinnhuber. Metabolism and tissue distribution of label from [9,10-methylene-^{14}C] sterculic acid in the rat, 629
Noble, R. C., R. G. Vernon, W. W. Christie, J. H. Moore, and A. J. Evans. The effect of dietary fats on the plasma lipid composition of sheep, 423
Nordmann, J. See D. Sabourault
Nordmann, R. See D. Sabourault
Nouvelot, A. See P. Dewailly

O

Oehlschlager, A. C. See P. R. Hays
Ojakian, M. A. See M. A. Williams
Okayasu, Takako, Teruo Ono, Kazunori Shinojima, and Yoh Imai. Involvement of cytochrome b_5 in the oxidative desaturation of linoleic acid to γ-linolenic acid in rat liver microsomes, 267
Olson, D. L. See R. L. Glass
Omura, S. See M. D. Greenspan
Ong, N., J. Bezard, and J. Lecerf. Incorporation and metabolic conversion of erucic acid in various tissues of the rat in short term experiments, 563
Ono, Teruo See Takako Okayasu
Ontko, Joseph A. See Ann C. Sullivan

P

Paciga, J. E. See S. A. Shelley
Palmquist, D. L., W. Mattos, R. L. Stone, Short communication re: Absence of eicosatrienoic acid in plasma of sheep parenterally infused with a high glucose fat-free solution, 235
Panek, E., G. A. Cook, and N. W. Cornell. Inhibition by 5-(tetradecyloxy)-2-furoic acid of fatty acid and cholesterol synthesis in isolated rat hepatocytes, 814
Paradis, M. and R. G. Ackman. Potential for employing the distribution of anomalous nonmethylene-interrupted dienoic fatty acids in several marine invertebrates as part of food web studies, 170
Pargaonkar, P. S. See R. R. Bhandaru
Paris, R. See M. Boquillon
Parks, L. W. See P. R. Hays
Pattee, H. E. See M. S. Nelson
Patterson, G. W. See W. R. Nes
Pawlowski, N. E. See J. E. Nixon
Pearce, R. E. and L. W. Stillway. Non-methylene-interrupted and ω4 dienoic fatty acids of the white shrimp *Penaeus setiferus*, 544
Pearson, Donovan V. See Terence T. Yen
Pechen, Ana M. and Nicolàs G. Bazàn. Lipid metabolism in early development using labeled precursors incorporated during oogenesis and in cell-free embryo homogenates, 131
Perkins, Edward G. See Mary Frances Picciano
Pfeffer, P. E., J. Sampugna, D. P. Schwartz, J. N. Schwartz, and J. N. Schoolery. Short communication re: Analytical ^{13}C NMR: Detection, quantitation, and positional analysis of butyrate in butter oil, 869
Pflüger, Manfred See Brigitte Schmitz
Phillips, William A. and Gary L. Elfring. Effects of colestipol hydrochloride and neomycin sulfate on cholesterol turnover in the rat, 10
Picciano, Mary Frances and Edward G. Perkins. Short communication re: Identification of the *trans* isomers of octadecenoic acid in human milk, 407
Piekarski, J. See B. J. Holub
—— See I. M. Yousef
Pierce, H. D., Jr. See P. R. Hays
Pisano, Michael A. See Edward H. Sawicki
Pitas, Robert E. See Kathleen E. McMahon
Plapinger, R. See P. P. Nair
Plattner, R. D. See R. Kleiman
—— See R. V. Madrigal
—— See R. W. Miller
—— See C. R. Smith, Jr.
Pollard, M. R. See R. Jeffcoat
Poser, R. G. See M. L. Seligman
Poulis, Parissa and Noel H. Fidge. The effect of a short term saturated fat diet on the apoprotein composition and radioiodination properties of rat very low density lipoproteins, 288
Prabhudesai, A. V. Short communication re: A simple method for the preparation of cholesteryl esters, 242
Privett, O. S. See W. L. Erdahl
Pullarkat, R. K. See L. J. Tirri
Purchas, R. W. See C. B. Johnson
Putnam, G. B. See T. C. Yu

Q

Quackenbush, F. W., P. G. Rand, and J. E. MacNintch. Short communication re: Arylsulfonate esters of fatty alcohols as hypocholesterolemic agents, I: Oleyl and linoleyl p-toluenesulfonates, 686
—— See J. E. MacNintch

R

Radcliffe, J. D. See K. W. J. Wahle
Ragland, James B. See Michael Freeman
Rakoff, H. and E. A. Emken. Short communication re: Stereospecific synthesis of *cis* and *trans* fatty esters, 760
Ramadoss, C. S. See G. S. Bild
Ramsey, R. B. Effect of extended hypocholesterolemic drug treatment on peripheral and central nervous system sterol content of the rat, 841
Rand, P. G. See F. W. Quackenbush
Ransohoff, J. See M. L. Seligman
Rao, G. Ananda. See S. Abraham
Rao, P. Srinivasa Fatty acids of cerebrosides in different regions of the developing foetal brain, 335
Rathelot, J. See P. Canioni
Rattray, J. B. M. See B. H. S. Cho
Ray, A. K. See G. Colacicco
Recknagel, R. O. See R. L. Waller
Reynier, M. O., Ch. Marteau, J. L. Vigne, A. Mule, C. Crotte, and A. Gerolami. Action of three bile acids on hepatic and intestinal cholesterogenesis in the rat, 254
Rhoades, R. A. See M. E. Shaw
Richard, M. J. See K. D. Wiggers
Riefler, J. F. See L. W. Stillway
Robbins, W. E. See J. A. Svoboda
Rogers, C. G. Erucic acid and phospholipids of newborn rat heart cells in culture, 375
—— Lipid composition and erucic acid in rat liver cells in culture, 1043
Rohwedder, W. K. See E. N. Frankel
Rooney, S. A. and L. I. Gobran. Alveolar lavage and lavaged lung tissue phosphatidyl choline composition during fetal rabbit development, 1050
—— L. L. Nardone, D. L. Shapiro, E. K. Motovama, L. Gobran, and N. Zaehringer. The phospholipids of rabbit type II alveolar epithelial cells: comparison with lung lavage, lung tissue, alveolar macrophages, and a human alveolar tumor cell line, 438
Roots, Betty I. See Daniel P. Selivonchick
Rorke, S. Joan See Robert J. Morin
Rosen, Joel M. and George H. Rothblat. Origin of fatty acids of cholesteryl ester accumulated by Fu5AH cells in culture, 222
Rosenstein, Fumiko U., Ramon Caruso, and Henry W. Kircher. Titration of sterol double bonds with dibromopyridine sulfate, 297
—— See T. Shimadate
Rothblat, George H. See Joel M. Rosen
Ryall, Rosemary L. and R. B. Goldrick. Glycerokinase in human adipose tissue, 272
Ryan, Jerome R. See H. Peter Blumenthal
Rytter, D. J. See J. W. Barnhart

S

Sabesin, Seymour M. See Michael Freeman
Sabourault, D., Y. Giudicelli, J. Nordmann, and R. Nordmann. Role and mechanism of peripheral fatty acid mobilization in 2-mercaptoethanol-induced fatty liver, 641
St. Angelo, A. J. and J. C. Kuck. Short communication re: Effects of cyanide on peanut lipoxygenase, 682
Sakai, Akira See Toru Takagi
Sampugna, J. See P. E. Pfeffer
Sarda, L. See P. Canioni
Sawicki, Edward H. and Michael A. Pisano. Short communication re: The effect of temperature on the fatty acid and phospholipid composition of *Cephalosporium falciforme* and *Cephalosporium kiliense*, 125
Schepartz, A. I. See P. F. Scholtzhauer
Schlotzhauer, P. F., J. J. Ellington, and A. I. Shepartz. Short communication re: Thin layer chromatographic procedure for class separation of plant neutral lipids, 239
Schmid, H. H. O. See W. T. Morton
—— See V. Natarajan
Schmidt, P. C. See L. J. Tirri
Schmitz, Brigitte, Uwe Murawski, Manfred Pflüger, and Heinz Egge. Positional isomers of unsaturated fatty acids in rat liver lipids, 307
Schurr, Paul E. and Charles E. Day. Response to the hypobetalipoproteinemic agent adamantyloxyphenyl piperidine in hyperlipemic rats, 22
Schuyl, P. J. W. See J. J. Boon
Schwartz, D. P. See P. E. Pfeffer
Schwartz, J. N. See P. E. Pfeffer
Seligman, M. L., E. S. Flamm, B. D. Goldstein, R. G. Poser, H. B. Demopoulos, and J. Ransohoff. Spectrofluorescent detection of malonaldehyde as a measure of lipid free radical damage in response to ethanol potentiation of spinal cord trauma, 945
Selivonchick, Daniel P. and Betty I. Roots. Lipid and fatty acyl composition of rat brain capillary endothelia isolated by a new technique, 165
Sessa, D. J., H. W. Gardner, R. Kleiman, and D. Weisleder. Oxygenated fatty acid constituents of soybean phosphatildylcholines, 613
Seyfried, T. N., E. J. Weber, and R. K. Yu. Short communication re: Influence of trichloroacetic acid-phosphotungstic acid on the thin layer chromotographic mobility of gangliosides, 979
Sezille, G. See P. Dewailly
Shapiro, D. L. See S. A. Rooney
Sharaf, D. M., S. J. Clark, and D. T. Downing. Skin surface lipids of the dog, 786
Shaw, M. E. and R. A. Rhoades. Substrate metabolism in the perfused lung: Response to changes in circulating glucose and palmitate levels, 930
Shelley, S. A., J. E. Paciga, and J. U. Balis. Purification of surfactant from lung washings and washings contaminated with blood constituents, 505
Shimadate, T., F. U. Rosenstein, and H. W. Kircher. Short communication re: Preparation of fucosterol from giant kelp, 241
Shimizu, Y. See W. E. Fallon
Shinojima, Kazunori. See Takako Okayasu
Schoolery, J. N. See P. E. Pfeffer
Shortridge, K. F. See W. K. K. Ho
Siddiqi, M. See S. Y. K. Yousufzai
Silvers, A. See F. T. Lindgren
Singleton, J. A. See M. S. Nelson
Sinnhuber, R. O. See J. E. Nixon
—— See T. C. Yu
Sklan, D. and P. Budowski. The effect of lipids on taurocholate absorption from intestinal loops in the rat, 193
Slinger, S. J. See S. Hung
Smith, C. See H. A. Barakat
Smith, C. R., Jr., R. V. Madrigal, D. Weisleder, and R. D. Plattner. *Polygala virgata* seed oil—A new source of acetotriglycerides, 736
—— See R. V. Madrigal
—— See R. W. Miller
Spector, A. A. See C. P. Burns
—— See Richard McGee, Jr.
Spencer, G. F. See R. Kleiman
—— See R. V. Madrigal
Srinivasan, S. R. See R. R. Bhandaru
Stearns, E. M., Jr. and W. T. Morton. Short communication re: *bis*-phosphatidic acid in developing soybeans and soybean suspension cultures, 451
—— See W. T. Morton
Stein, R. A. See G. -S. Wu
Stewart, J. W. See K. D. Wiggers
Stillway, L. W., D. A. Weigand, J. F. Riefler, and Maria G. Buse. Leucine and isoleucine as in vitro precursors for lipid synthesis by rat aorta, 1012
—— See R. E. Pearce
Stone, R. L. See D. L. Palmquist
Story, Jon A. See David Kritchevsky
Streuli, V. L. See Y. -Y. Yeh
Stumpf, P. K. and N. Weber. Uptake and metabolism of fatty acids by soybean suspension cells, 120
Subramanian, C. See G. A. Dhopeshwarkar
Sullivan, Ann C., Joseph Triscari, James G. Hamilton, and Joseph A. Ontko. Hyolipidemic activity of (−)-hydroxycitrate, 1
—— See Joseph Triscari
Sun, G. Y. Metabolism of arachidonate and stearate injected simultaneously into the mouse brain, 661
Suzuki, Y. See Y. Kawashima
Svoboda, J. A., S. R. Dutky, W. E. Robbins, and J. N. Kaplanis. Short communication re: Sterol composition and phytosterol utilization and metabolism in the milkweed bug, 318
—— T. R. Wrenn, M. J. Thompson, J. R. Wevant, D. L. Wood, and J. Bitman. Reduction of blood and liver cholesterol in the rat by straight and branched chain alkyl amines, 691
Sweet, Mary L. Short communication re: Phosphonolipid content of the oyster, *Crassostrea virginica*, in three physiological conditions, 449

T

Takagi, T. and Y. Itabashi. Gas chromatographic separation of triglycerides based on their degree of unsaturation, 1062
—— Akira Sakai, Yutaka Itabashi, and Kenji Hayashi. Gas chromatographic separation of cholesteryl esters of fatty acids of different degrees of unsaturation, 228
Tappel, Al L. See Cora J. Dillard
—— See E. E. Dumelin
Tapscott, E. B. See H. A. Barakat
Tepper, Shirley A. See David Kritchevsky
Thompson, M. J. See J. A. Svobda
Thorson, R. L. See R. L. Glass
Tinoco, J. See M. A. Williams
Tirri, L. J., P. C. Schmidt, R. K. Pullarkat, and H. Brockerhoff. Studies on the hydrogen belts of membranes: II. Non-electrolyte permeability of liposomes of diester, diether, and dialkyl phosphatidylcholines and cholesterol, 863
—— See J. W. Fong
Triscari, Joseph and Ann C. Sullivan. Comparative effects of (−)-hydroxycitrate and (+)-*allo*-hydroxycitrate an acetyl CoA carboxylase and fatty acid and cholesterol synthesis in vivo, 357
—— See Ann C. Sullivan
Tulloch, A. P. Preparation of specifically dideuterated octadecanoates and oxooctadecanoates, 92
—— The triterpenes of ouricuri wax, 233

U

Umemura, T. See S. Hung
Urano, Shiro, Shinju Yamanoi, Yuji Hattori and Mitsuyoshi Matsuo. Radical scavenging reactions of α-tocopherol II. The reaction with some alkyl radicals, 105

V

Vaartjes, W. J. See M. J. H. Geelen
van de Graff, B. See J. J. Boon
Varco, Richard L. See Henry Buchwald
Vernon, R. G. See R. C. Noble
Vigne, J. L. See M. O. Reynier
Villemez, C. L., Jr. See J. E. MacNintch
Vocci, M. See P. P. Nair
Vrable, R. See J. J. Kabara

W

Wahle, K. W. J. and J. D. Radcliffe. Effect of a diet rich in sunflower oil on aspects of lipid metabolism in the genetically-obese rat, 135
Waite, M., L. Kucera, L. King, and S. Crosland. Lipid synthesis in cultured human embryonic fibroblasts, 698
Waller, R. L. and R. O. Recknagel. Determination of lipid conjugated dienes with tetracyanoethylene-^{14}C: Significance for study of the pathology of lipid peroxidation, 914
Warnaar, F. Deca-2,4,6-trienoic acid, a new conjugated fatty acid, isolated from the latex of *Euphorbia pulcherrima* willd, 707
Weber, E. J. See T. N. Seyfried
Weber, N. See P. K. Stumpf
Weedon, B. C. L. See E. N. Frankel
Weete, J. D. and W. D. Kelley. Fatty acids and sterols of *Cronartium fusiforme* basidiospores, 398
Wei, S. L. See C. P. Burns
Weigand, D. A. See L. W. Stillway
Weisleder, D. See H. W. Gardner
—— See R. W. Miller
—— See D. J. Sessa
—— See C. R. Smith, Jr.
Welch, Charles L. and Randall Wood. Lipids of cultured hepatoma cells: VIII. Utilization of D-[1-^{14}C] glucose for lipid biosynthesis, 245
West, C. E. See G. J. Hopkins
Weyant, J. R. See J. A. Svoboda
Widdowson, D. A. See M. Bard
Wiggers, K. D., M. J. Richard, J. W. Stewart, N. L. Jacobson, and P. J. Berger. Type and amount of dietry fat affect relative concentration of cholesterol in blood and other tissues of calves, 586
Williams, M. A., J. Tinoco, M. A. Ojakian, and L. Clark. Influence of fasting-refeeding and dietary linoleate on liver glucose-6-phosphate dehydrogenase and phospholipid fatty acid composition in rats adapted to a purified diet, 386
Withers, N. W. and J. C. Nevenzel. Phytyl esters in a marine dinoflagellate, 989
Wong, E. See C. B. Johnson
Wong, W. -S. D. and E. G. Hammond. Analysis of oleate and linoleate hydroperoxides in oxidized ester mixtures, 475
Wood, D. L. See J. A. Svoboda
Wood, Randall See Charles L. Welch
Woods, R. A. See M. Bard
Wrenn, T. R. See J. A. Svoboda
Wu, G. -S. and J. F. Mead. Autoxidation of fatty acid monolayers adsorbed on silica gel: I. Nature of adsorption sites, 965
—— R. A. Stein, and J. F. Mead. Autoxidation of fatty acid monolayers adsorbed on silica gel: II. Rates and products, 971

Y

Yamanoi, Shinju See Shiro Urano
Yamashiro, S. See S. Hung
Yeh, Y. -Y, V. L. Streuli, and P. Zee. Ketone bodies serve as important precursors of brain lipids in the developing rat, 957
—— V. L. Streuli, and P. Zee. Relative utilization of fatty acids for synthesis of ketone bodies and complex lipids in the liver of developing rats, 367
Yen, Terence, T., Jean A. Allan, Donovan V. Pearson, June M. Acton, and Mark M. Greenberg. Prevention of obesity in A^{vy}/*a* mice by dehydroepiandrosterone, 409
Yeung, S. K. F., A. Kuksis, L. Marai, and J. J. Myher. Resolution of molecular species of intact serine and ethanolamine phosphatides by argentation chromatography of their trifluoroacetamides, 529
Yoss, J. K. See J. E. Nixon
Young, Michael See John H. Adler
Yousef, I. M., M. M. Fisher, J. Piekarski, and B. J. Holub. Activity of phospholipid-synthesizing enzymes in rat liver plasma membranes and the source of biliary lecithin, 140
Yousufzai, S. Y. K. and M. Siddiqui. Letter to the editor re: 3-Hydroxy-3-methylglutaric acid and orotic acid induced fatty liver in rats, 689
—— and Majid Siddiqi. Serum and liver lipid responses to 3-hydroxy-3-methylglutaric acid in rats on different carbohydrate diets, 262
—— and Majid Siddiqi. Tissue lipid responses to 3-methylglutaric acid with different dietary fats, 258
Yu, R. K. See T. N. Seyfried
Yu, T. C., R. O. Sinnhuber, and G. B. Putnam. Effect of dietary lipids on fatty acid composition of body lipid in rainbow trout *(Salmo gairdneri)*, 495

Z

Zachringer, N. See S. A. Rooney
Zee, P. See Y. -Y. Yeh

SUBJECT

A

Absorption, intestinal, cholesterol, probucol, 29
—— phosphatidyl choline, rat, 149
[2-Acetamidoethyl (p-chlorophenyl) (m-trifluoromethyl phenoxy) acetate], see halofenate
Acetate, incorporation into cholesterol, rat liver, intestine, bile acids, 245
—— incorporation into fatty acids, cholesterol, 357
—— incorporation, lipids, lean, obese rat, dietary fat, 135
—— incorporation, liver, adipose tissue, rats, nephrotic syndrome, 208
—— lipogenesis in rat jejunum, 1080
—— primary alcohols, GLC, 118
Acetate-^{14}C, incorporation into cholesterol, 684
—— incorporation into fatty acids in rat hepatocytes, 577
—— incorporation in sponge C_{24} fatty acids, 570
—— metabolism in calf liver, 586

Acetoacetate, lipogenesis in rat brains, 957
—— synthesis, developing rat liver, 367
Acetoacetyl CoA synthetase, in developing rat brain, 957
Acetoacetyl CoA thiolase, in developing rat brain, 957
Acetotriglycerides, *M. emarginate, S. longipedunculata, C. orbiculatus,* and *P. virgata,* 736
Acetyl CoA carboxylase, action of halofenate, 34
—— hydroxycitrate, *allo*-hydroxycitrate, 357
Acetylation, serum lipoproteins, 85
Acetylenic acids, antimicrobial activity, 753
Acid chlorides, prep, 92
Acid phosphatase, marker enzyme, lysosomes, 327
Actinomycin D, effect on chain elongation, 434
Acyl-CoA:1-acyl-sn-glycero-3-phosphorylcholine acyltransferase, rat liver, 140
Acyl Co-A dehydrogenase, rat heart mitochondria, *cis, trans* acids, 177
Acyl Co-A esters, prep, 177
Acyl-CoA hydrolase activity, dtmn, 134
Acylcarnitines, measurement of oxidation rate, 486
Acyltransferase, assay, 556
Adamantyl-oxyphenyl piperidine, hypobetalipoproteinemic activity, serum HDL, LDL, VLDL, cholesterol, tissue cholesterol, lipids, weight, 22
Adipose, bovine, lipids, phytanic acid content, 115
—— rat, incorporation, 2-aminoethylphosphoric acid, 75
Adipose tissue, human, glycerokinase activity, 272
—— lipid metabolism, rats, nephrotic syndrome, 208
—— rabbit hydrocarbon profile, 198
—— sheep, medium chain, branched chain fatty acids, 340
Adrenal, cholesterol deposition, hypocholesterolemic drugs, 22
—— human, lipids, 620
Affinity chromatography, see chromatography, affinity
Agaricus sp, ergosterol, configuration, PMR, 365
Alanine, incorporation into fatty acids, cholesterol, 357
Alchornea cordifolia seed oil, fatty acid profile, 610
Alchornoic acid, characterization, occurrence, 610
Alcohols, fatty, bovine rumen liquor, GLC, 204
Alcohols, primary, preparation of methanesulfonates, 92
Alcohols, primary, long chain, acetates, preparation, GLC, 125
—— developing rat brain, 128
—— metabolism in rat brain, 872
—— TMS, preparation, GC-MS, 128
Alcohols, tetradeutero, conversion to methyl dideutero esters, 92
2,3-Alkanediols, turkey skin lipid, 626
Alkanediols, long chain, triesters rhino mutant mouse skin, 283
Alkenyl-diacylglycerol, human brain tumor, 188
Alkylacylglycerophosphorylcholine, human brain tumor, 188
Alkyl-diacylglycerol, human brain tumor, 188
Alkyl ethers, tocopherol, column chromatography, MS, UV, IR, ^{1}H-NMR, ^{13}C-NMR, 105
Alkyl radicals, generation, dialkylsulfoxides, reaction with 2-tocopherol, 105
Allo-hydroxycitrate, acetyl Co-A carboxylase, fatty acid, cholesterol synthesis, 357
Alopecia, in EFA-deficient gerbils, 741
Alveoli, surfactant during rabbit fetal development, 1050
Amina calve, see bowfin
Amines, C_{12-18}, hypocholesterolemic effect, 691
2-Aminoethylphosphoric acid, chemical synthesis, purification, metabolism, rat tissue lipids, 75
Amoblopiites rupestries, see rockbass, northern
Anemia, aplastic, sheep fat-free infusion, 235
Anodic coupling, preparation dideuterated octadecanoic acids, 92
Antibiotic, cerulenin, effect on fatty acid biosynthesis in yeast, 729
Antibodies, cytochrome b_5, inhibition, linoleic acid desaturation, 267
Antimicrobial activity, fatty acid derivatives and esters, 753
Aorta, human, cell culture of smooth muscle cells, 1069
—— human, effect of CPIB and clofibrate on lipoprotein retention, 1069
—— lipids, rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
—— rat, lipogenesis from branched chain amino acids, 1012
—— rat, stearoyl CoA desaturase activity and membrane fluidity, 1025
Aphid, sorbic acid containing triglycerides, 765
Aphis neril, see aphid
Aphis rosa, see aphid
Apolipoproteins, preparation, serum lipoproteins, 85
Apoproteins, rat VLDL, comp, iodination, dietary fat, 289
Arachidic acid, stereospecific anal of peanut oil, 775
Arachidonate, methyl, hydrocarbon production during peroxidation, 894
—— peroxidation in rat lungs, 596
—— synthesis, control, 446
Arachidonic acid, ^{14}C, metabolism in mouse brain, 661
—— phospholipids, liver, fasting-refeeding, dietary fat, 386
Arachis hypogaea L., see peanut
Arenicola marina, marine polychaete, branched monoenoic acids, 717
Argentation thin layer chromatography, see chromatography, thin layer, argentation
Arrhenius plots, model lipids with and without cholesterol, 863
Arthropoda, dienoic fatty acids, fatty acid profile, 170
Arylsulfonate esters, hypercholesterolemic agents, 819
Arylsulfonates, fatty alcohol, as hypocholesterolemic agents in rat, 686
Ascites, plasma lipoproteins, regulation, fatty acid biosynthesis, Ehrlich cells, 66
Ascites fluid, effect of diet on NL and PL fatty acid comp, 747
Ascomycetes, ergosterol, configuration, PMR, 365
Aspirin, myocardial infarction, interaction, 59
Asplanchna sieboldi, see rotifer
Astrocytoma, human, fatty acid profile PC, PE and PE plasmalogen, 722
Atherogenic diet, rat serum, tissue lipids, 3-hydroxy-3-methylglutaric acid, 258
Atherogenicity, stereospecific anal of natural and randomized peanut oils, 775
Atherosclerosis, dietary protein, fat, carbohyurate and fiber, 49
—— and hypolipidemic drugs, 64
—— rabbit, linoleic acid amides, 16
—— serum cholesterol, diet, ileal bypass, 53
Atherosclerotic plaque, reduction in, clinical effectiveness, hypolipidemic drugs, 64
ATP, rat adipose tissue, and 2-mercaptoethanol, 641
Autoradiography, yeast lipid TLC, 809
Autoxidation, fatty acid monolayers on silica gel, bulk phase, 965, 971
—— HPLC of reaction products, 837
—— linolenate cycliceperoxides-hydroperoxides, 1055
—— methyl linoleate, hydroperoxides, isolation, 99
—— methyl linolenate, GC-MS, 1055
—— methyl oleate, GS-MS, 901
—— 18:1, 18:2, 18:3 mixtures GC-MS, 1055
25-Aza-5-α-cholestane, hypocholesterolemic effect, 691
Azasterol, effect on yeast sterols, 666
Aziridines, antimicrobial activity, 753

B

Basidiomycetes, ergosterol, configuration, PMR, 365
Basidiospores, sterols, fatty acid profile, 398
Behenic acid, stereospecific anal of peanut oil, 775
Benzmalecene, hypocholesterolemic agent, 819
Bigmouth buffalo, furan fatty acids, 828
Bile acids, and cholesterol metabolism in rat, 676
—— cholesterol synthesis, liver, intestine, rat, 245
—— dtmn, 819
—— lithocholic acid in human liver, 922
—— ε-lithocholyl lysine in human liver, 922
—— sequestration by colestipol hydrochloride, 10
Bile duct, rat, catheterization, 149
Bile, rat, phosphatidyl choline, intestinal absorption, 149
Biliary fistula, rat, cholesterol synthesis, liver, intestine, 245
Biotin, ard skin lipids of turkey, 626
Bluegill, furan fatty acids, 828
Bovine, rumen liquor, hydrocarbons, dietary phytol, 204
—— tissues, milk lipids, phytanic acid content, 115
Bowfin, furan fatty acids, 828
Brain, bovine, lipids, phytanic acid content, 115
—— developing human foetus, cerebroside fatty acid profile, 335
—— gerbil, fatty acid profile EFA + or —, 741
—— mouse, fatty acid metabolism, phospholipids, 661
—— rabbit hydrocarbon profile, 198
—— tumor, human, fatty acid profile PC, PE and PE plasmalogen, 722
Brain, human, gangliosides, Folch, 979
—— tumor, ether-linked glycerolipids, 188
—— tumor lipid fatty acid profiles, PC and PE, 722
—— developing rat, primary alcohols, 128
—— human, tumor, fractionation, 188
—— rat, TLC, 128
—— rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
Brain, rat, capillary endothelia, lipid, fatty acid comp, isolation, ultracentrifugation, glass bead filtration, 165
—— lipogenesis from acetate and glucose ^{14}C, 763
—— lipogenesis, ketone bodies, 957
—— metabolism of fatty alcohols, 872
Brassica campestris, see rapeseed oil
Brassica napus, see rapeseed oil

Brassica napus var Zephyr, see rapeseed oil
Brassylic acid, and derivatives, antimicrobial activity 753
Breath, rat, hydrocarbons, hydroperoxide scission, 109
Bromination, unsaturated sterols, dibromopyridine sulfate, 297
12-Bromo-trans-9-octadecenoic acid, monolayer on silica gel, synthesis, purification, 965
Bromo-trichloromethane, hepatic lipid peroxidation, 914
Brook trout, furan fatty acids, 828
Buffalo, bigmouth, furan fatty acids, 828
Bullhead, northern black, furan fatty acids, 828
Butter oil, ^{13}C-NMR for butyrate, 869

C

Calcium activation, peanut lipoxygenase, 418
Calf cholesterol, effect of dietary fat, 586
Canalicular membrane, rat liver, phospholipid synthesis, 140
Capillary endothelia, rat brain, lipid, fatty acid comp, 165
—— rat brain, isolation, ultracentrifugation, glass bead filtration, 165
Carbohydrate, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
Carbon tetrachloride, hepatic lipid peroxidation, 914
Carcinoma, Ehrlich ascites mice, hypertriglyceridemia, strain differences, 153
Cardiac lesions, effect of partially hydrogenated low erucic oils, 769
Cardiolipin, pig heart, dietary fat, fatty acid profile, 159
—— rat heart, erucic acid incorporation, dietary rapeseed oil, 301
Cardiomyopathic hamster, lipid metabolism, 550
Cardiopathogenicity, of rapeseed oil, 951
Carnitine acyl transferase, erucic and cetoleic acids, 791
Carp, furan fatty acids, 828
Carpoides velifer, see carpsucker
Carpsucker, furan fatty acids, 828
Cat, myelin, free and esterified cholesterol in developing white matter, 711
—— plasma cholesterol, suckling, post-weaning, 145
—— spinal cord, free and esterified cholesterol drug development, 711
—— spinal cord, lipid peroxidation, ethanol potentiated trauma, 945
Catalase, rat liver, probucol, 29
Catheterization, rat bile duct, duodenum, 149
Cattle tick, egg wax lipids, hydrocarbons, fatty acids in fatty alcohols, 182
CDP-choline: 1,2-diacyl-sn-glycerol choline phosphotransferase, rat liver, 140
Cebus albifrans, see cebus monkey
Cebus monkey, triglyceride secretion rate, 936
Cell culture, aortic smooth muscle, 1069
—— growth medium, 1043
—— hepatoma lipid biosynthesis from glucose, 254
—— human embryonic fibroblasts, lipid synthesis, 698
—— rat heart, erucic acid, phospholipids, 375
—— rat hepatoma, cholesteryl ester accumulation, 222
—— rat liver epithelial cells, erucic acid, 1043
—— soybean, fatty acid uptake, metabolism, 121
Cell fractionation, rat liver, 75
Centrifugation, zonal, isolation mouse hepatocyte membrane, 327
Cephalosporium falsiforme, lipid, fatty acid profile, temperature, 125
Cephalosporium kiliense, lipid, fatty acid profile, temperature, 125
Cerebrosides, developing human foetal brain, fatty acid profile, 335
—— pig heart, dietary fat, fatty acid profile, 159
Cerulenin, inhibition of fatty acid biosynthesis in yeast, 729
Cetoleic acid, cardiac metabolism in rat and monkey, 791
Cetoleyl CoA, cardiac metabolism in rat and monkey, 791
Chain elongation, rat liver, dietary control, starvation-refeeding, 431
2-Chloro-5-[(cis-3,5-dimethylpiperidino)sulfonyl] benzoic acid, see tibric acid
p-Chlorophenoxy isobutyrate, hypocholesterolemic agent, effects, 689, 819
Chloroquine, inhibition cholesterol esterification, cultured cells, 222
Cholanoyl amino acid hydrolase, relase of bound lithocholic acid, 922
Cholestane sterols, yeast, 645
Cholestanyl esters, unsaturated, GLC, 228
22-Cholesten-3β-yl acetate, *cis trans,* bromination dibromopyridine sulfate, 297
Cholesterol, assay, GLC, 10
—— calf, effect of dietary fat, 586
—— deposition in tissues, drug-induced, 22
—— effect on permeability of liposomes, 863
—— esterification, acyl chlorides, 242
—— excretion, effect of linoleyl tosylate, 819
—— fluorimetric anal, 711
—— free and esterified in developing cat white matter, 711
—— human adrenals, 620
—— liver, biosynthesis, inhibition, hydroxycitrate, 1
—— liver, linoleic acid amides, 16
—— metabolism, rat, and taurocholate ingestion, 676
—— microdetermination with *o*-phthaldehyde, 1078
—— monolayers with diester and diether PC, 857
—— phosphatidyl choline complex, biolayer membrane model, 348
—— plasma level vs triglyceride secretion rate, 936
—— pools, rat, measurement of, turnover, 10
—— rat heart, and dietary fat, 486
—— rat liver, and dietary fat, 486
—— rat, effect of fatty alcohol arylsulfonates, 686
—— rat serum, tissues, dietary fat, 3-hydroxy-3 methylglutaric acid, 258
—— rat, turnover, colestipol hydrochloride, neomycin sulfate, 10
—— turnover, rat, measurement by pulse labelling, 10
Cholesterol absorption, linoleic acid amides, 16
—— probucol, 22
—— rat, 676
Cholesterol ester, in developing feline white matter, 711
——sheep plasma lipids, 423
—— synthesis, inhibition, hydroxycitrate, 1
Cholesterol plasma, cat, dog, guinea pig, suckling, weaned, 145
—— lowering, diet, ileal bypass, 53
—— rats, nephrotic syndrome, 208
Cholesterol, serum, depression of, drug-induced, 22
—— depression by gemcadiol, 44
—— dietary protein, fat, carbohydrate and fiber, 49
—— linoleic acid amides, 16
—— liver 3-hydroxy-3-methylglutaric acid, dietary carbohydrate, 262
—— lowering, hydroxycitrate, 1
—— probucol, 29
Cholesterol synthesis, effect of eicosa-5,8,11,14-tetraynoic acid, 446
—— effect of tibric acid, 684
—— hydroxycitrate, *allo*-hydroxycitrate, 357
—— rat liver, intestine, bile acids, 245
Cholesteryl esters, accumulation, cultured hepatoma cells, 222
—— bovine tissue, milk, phytanic acid content, 115
—— fatty acid profile, cultured hepatoma cells, 222
—— preparation, 242
—— unsaturated, GLC, 228
Cholineglycerophosphatide, pig heart, dietary fat, fatty acid, aldehyde profile, 159
—— rat brain capillary endothelia, fatty acids, aldehydes, 165
Chromatography, affinity, lipases, 443
Chromatography, column, alkyl ethers, cyclohexadienones, 2-tocopherol, 105
—— alumina, fucosterol from kelp, 241
—— brain lipids, 188
—— cat white matter lipids, 711
—— cysteine-hydroperoxide adducts, 655
—— DEAE cellulose, PL and lysophosphatides, 983
—— glyceryl ether lipids, 620
—— hydrated alumina, rabbit tissue lipids, 198
—— ion exchange, lipolysis products, 736
—— isano oil fatty acids, 669
—— latex triterpene esters, 707
—— linoleate oxidation products, 941
—— lipid classes, 889
—— medium chain, branched chain fatty acids, 340
—— methyl elaidate, 760
—— milkweed bug lipids, 318
—— murine leukemia cell lipids, 747
—— oxygenated fatty acids, 613
—— PL rat brain, 763
—— silicic acid, rat heart phospholipids, 301
—— tributyrin, 869
—— triglycerides from bovine milk, 994
—— triterperes, ouricuri wax, 233
Chromatography, gas-liquid, *Alchornea cordifolia* seed oil, 610
—— aldehydes, glycerolisopropylidine ester, 188
—— aldesters, 763
—— aliphatic diketones, 635
—— bile acids, 922
—— bovine fatty acids, phytanic acid, 115
—— capillary, shrimp fatty acids, 544
—— capillary, trout fatty acids, 538
—— cholesterol, 10
—— *cis* and *trans* epoxides, 971
—— *cis-trans* isomers, 760
—— dtmn of hydroperoxides, 475
—— di- and triglycerides, 775
—— ergosterol, 729

—— **ethane, ethylene and pentane,** 894
—— fatty acids, 879, 971, 1025
—— fatty acids, *bis*-phosphatidic acid, 1083
—— fatty acids, cultured cells PL, 698
—— fatty acids, gerbil tissues, 741
—— fatty acids, human aorta lipids, 1069
—— fatty acids human brain tumor PL, 722
—— fatty acids, lung PC, 1050
—— fatty acids of lung surfactant, 505
—— fatty acids milk phospholipids, 983
—— fatty acids, milk triglycerides, 994, 1005
—— fatty acids, murine leukemia cells, 747
—— fatty acids, rat liver epithelial cells in culture, 1043
—— fatty acids, rat testes, 1017
—— fatty acids of slime mold, 414
—— fatty acids, soybean triglycerides, 1032, 1037
—— fatty alcohol derivatives, rat brain, 128
—— fatty alcohols, dimethyl acetals, 872
—— fungal lipids, fatty acid methyl esters, 125
—— furan fatty acids, 828
—— glyceryl ether lipids, 620
—— hydrocarbons, acids, alcohols, cattle tick in egg lipids, 182
—— hydrocarbons, rat breath, vitamin E deficiency, 109
—— isano oil fatty acids, 669
—— linoleate autoxidation products, 908, 941
—— medium chain, branched chain fatty acids, 340
—— $\Delta^{2,4,6}$ 10:3 methyl esters, 707
—— open tubular, marine fatty acids, 170
—— open tubular, ozonolysis products, 293
—— oxygenated fatty acids, 613
—— plant seed fatty acids, resorcinols, 402
—— preparative, shrimp fatty acid methyl esters, 544
—— prostaglandins, 604
—— rat lung fatty acids, 596
—— rat VLDL fatty acid methylesters, 289
—— reduced linoleate autoxidation products, 908
—— reduced oleate autoxidation products, 901
—— sterols, acetates, TMS derivatives, 398
—— sterol intermediates, 841
—— sterols, plasma and liver, 691
—— TG by degree of unsaturation, 1062
—— TMS diglycerides from PC, 889
—— *trans*-fatty acids, 407
—— triglycerides from bovine milk, 994
—— trimethylsilyl ethers of hydroxyesters, 475
—— triterpenes, ouricuri wax, 233
—— turkey skin 2,3-alkanediols, 626
—— turkey skin fatty acids, 626
—— unsaturated cholesteryl esters, 228
—— yeast sterols, 645
Chromatography, gas-liquid, radio, fatty acids rat brain lipids, 763
—— fatty acids, rat testes, 1017
—— fatty acids, yellow clam, 804
—— soybean fatty acid methyl esters, 121
Chromatography, gas-liquid-mass spectroscopy, alcohols, hydrocarbons, bovine rumen liquor, 204
—— alcohols, hydrocarbons, bovine rumen liquor, 204
—— aromatic ethers, umbelliferae seed, 321
—— cysteine-hydroperoxide adducts, 655
—— hydrocarbons, rabbit tissue, 198
—— isano oil fatty acids, 669
—— oxygenated fatty acids, 613
—— rat liver fatty acids, hydroxy esters, 307
—— unsaturated fatty acids in shrimp, 544
—— yeast sterols, 666
Chromatography, high performance liquid, diester glyceride polyoxyethylene, 857
—— linoleic acid-9-D-hydroperoxide, 324
—— linolenate autoxidation products, 837
—— mass spectrometer interface, 797
—— methyl hydroxylinolenate isomers, 837
—— methyl linoleate hydroperoxides, hydroxyesters, 99
—— neutral lipids, 797
—— sorbic acid containing TG from aphids, 765
Chromatography, paper, phospholipids, 505
Chromatography, radio-thin-layer, phosphonolipids, rat tissues, 75
Chromatography, thin-layer, acetotriglycerides, *P. virgata,* 736
—— aliphatic diketones, 635
—— autoxidized linoleic acid, 971
—— bile acids, 922
—— boric acid, monoglycerides, 983
—— brain lipids, 188
—— cysteine-hydroperoxide adducts, 655
—— diacyl and acyl, alkenyl glycerol, 722
—— diester, diether, dialkyl PC, 863
—— diester glyceride polyoxyethylene, 857
—— dipalmitoyl phosphatidyl choline, 1050
—— fatty acid methyl esters, shrimp, 544
—— fatty acids and nonsaponifiables, 729
—— fatty alcohols, alkyl acetates, 872
—— **fungal lipids, 125**
—— gangliosides, influence of TCA-phosphotungstic acid, 979
—— glyceryl ether lipids, 620
—— hydroxy fatty acids, human brain cerebrosides, 335
—— hypocholesterolemic agent, 819
—— isano oil fatty acids, 669
—— isopropylidene derivatives, 872
—— latex triterpene esters, 707
—— $LiAlH_4$ reduction of phospholipids, 914
—— linoleate oxidation products, 941
—— lipid classes, ^{125}I-labeled, 1069
—— lipid classes, rat brain, 957
—— lipid classes, soybean, 1032
—— lipid classes, yellow clam, 804
—— lung lipids, 505
—— lung phospholipids, 438
—— methyl sterculate, 480
—— murine leukemia cell lipids, 747
—— NL, diester waxes, 786
—— NL, PL, cultured cells, 698
—— NL, PL, rat aorta, 1012
—— NL and PL, rat liver epithelial cells in culture, 1043
—— NL, PL rat testes, 1017
—— oxo-epoxyoctadecenoic, 941
—— PC, 889
—— *bis*-phosphatidic acid, 451
—— phosphatidyl phenols, 1005
—— phospholipase A hydrolysis products, 983
—— phospholipase A_2 hydrolysis products, 1083
—— phospholipids, bovine milk, 983
—— phosphonolipids, rat tissues, 75
—— plant neutral lipids, 239
—— plant seed lipids, resorcinols, 402
—— pyrophosphatidic acid turnover, 809
—— oxygenated fatty acids, 613
—— rabbit lung lipids, 879
—— rat brain lipids, 128
—— rat heart phospholipids, 301
—— rat intestinal phospholipids, 149
—— rat lipids, 563
—— rat lung lipids, 596
—— rat VLDL lipids, 289
—— reduced oleate autoxidation products, 901
—— soybean lipids, 121
—— sponge fatty acids, 570
—— sterol intermediates, 841
—— triesters rhino mutant mouse skin, 283
—— triterpenes, ouricuri wax, 233
Chromatography, thin-layer, argentation, acetylated fucosterol from kelp, 241
—— canine skin surface lipids, 786
—— cholesterol and coprostanol, 819
—— *cis-trans* isomers, 760
—— dimethyl acetals, 872
—— fatty acids, 872, 1069
—— fatty acids, rat brain lipids, 763
—— fatty alcohols, 872
—— furan fatty acids, 828
—— hydrocarbons, bovine rumen liquor, 204
—— milkweed bug sterols, 318
—— peanut oils triglycerides, 775
—— phosphatidyl ethanolamine trifluoroacetamides, 529
—— phosphatidyl serine trifluoroacetamides, 529
—— rat liver fatty acids, 307
—— soybean fatty acid methyl esters, 121
—— soybean triglycerides, 1037
—— sterol intermediates, 841
—— steroyl acetates, 297
—— triglycerides, 1062
—— triglycerides from bovine milk, 994
Circular dichroism, sorbic acid containing TG from aphids, 765
Citrate cleavage enzyme, action of halofenate, 34
Citrate lyase, inhibition, hydroxycitrate, 1
Clam, yellow, lipid metabolism, 804
Clofibrate, lipoprotein retention by aortic smooth muscle cells, 1069
***p*-Chlorophenoxyisobutyrate,** lipoprotein retention by aortic smooth muscle cells, 1069
Clostridium perfringes, cholanoyl amino acid hydrolase, 922
CNS, rat, sterol content, effect of hypocholesterolemic drugs, 841
Cobra, King, venom phospholipase A, 983
Coconut oil, GLC of TG by unsaturation, 1062
Colenterate, dienoic fatty acids, fatty acid profile, 170
Colestid, see colestipol hydrochloride
Colestipol hydrochloride, cholesterol turnover, rat, 10
Colipase, pancreatic, lipase interaction, 393
Column chromatography, see chromatography, column
Conjugated diene, dtmn with tetracyanoethylene-^{14}C, 914
Coriolic acid, *P. virgata,* acetotriglycerides, 736
Corn oil, lymph particles, 500
—— prostaglandin synthesis, 604

Corpus callosum, free and esterified cholesterol, drug development, 711
Countercurrent distribution, *C. orbiculatus* seed oil, 736
—— methyl linolenate, 1055
—— plant seed lipids, 402
Countercurrent fractionation, isano oil fatty acids, 669
Cow milk, effect of linoleate on TG comp, 994, 1005
—— phospholipids and lysophosphatides, 983
Crassius auratus L., see goldfish
Crassostrea virginica, see oyster
Cronartium fusiforme, sterols, fatty acid profile, 398
Cryptococcus newformans, see yeast
Crystalization, $\Delta^{2,4,6}$ 10:3 from pentane, 707
Cyanide, effects on peanut lipoxygenase, 682
Cyclic AMP, rat hepatocytes, effect of insulin and glucagon, 577
Cyclohexadienones, tocopherol, column chromatography, 105
—— tocopherol, MS, UV, IR, ^{1}H-NMR, ^{13}C-NMR, 105
Cycloheximide, effect on chain elongation, 434
Cyclooxygenase, iron content, isoelectric focusing, molecular weight, prostaglandin biosynthesis, purification, role of heme, 591
Cyclopropane fatty acids, slime mold, 414
Cyclopropene fatty acids, metabolism in rat, 629
Cyclopropenoid fatty acids, inhibition of desaturases, 480
Cyrinus carpio, see carp
Cysteine, reaction with hydroperoxide, 655
Cytochrome b_{5}, desaturation linoleic acid, rat liver microsomes, 267
—— polyoxyethylene derivatives, monolayers with cholesterol, 857
—— from rat liver PC, 889
Dihydrophytol, bovine rumen liquor, 204
threo-**12,13-Dihydroxy-*cis*-9-octadecenoate,** in stereospecific synthesis, 760
erythro-**9,10-Dihydroxyoctadecanoate,** in stereospecific synthesis, 760
threo-**9,10-Dihydroxyoctadecanoate,** in stereospecific synthesis, 760
Dihydroxystearate, autoxidation of methyl oleate, 901
2,4-Diketones, aliphatic, alkaline hydrolysis, GLC, TLC, melting points, oxidation, prep, 635
Dioleyl phosphate, synthesis, use in liposomes, 863
Dipalmitoyl phosphatidyl choline, rabbit lung during fetal development, 1050
—— rabbit lung surfactant, 879
Docosahexaenoate, peroxidation in rat lung, 596
Docosahexaenoic acid, rat testes lipids, 1017
Docosanol, see alcohols, primary, long chain
1-Docosanol, developing rat brain, 128
Docosenoic acid, rat liver epithelial cells in culture, 1043
cis-**11-Docosenoic acid,** cardiac metabolism in rat and monkey, 791
Dog, plasma cholesterol, suckling, post-weaning, 145
—— skin, surface lipids, diester waxes, 786
Drugs, hypolipidemic, safety aspects, clinical effectiveness, FDA considerations, 64
Duodenum, rat catheterization, 149

D

Deca-2,4,6,-trienoic acid, *cis-trans* isomers in *E. pulcherrima,* 707
Deca-3,5,7-trienoic acid, triterpene esters in *E. pulcherrima,* 707
Decarboxylation, Schmidt method, 763
7-Dehydrocholesterol, in nervous system, effect of hypocholesterolemic drugs, 841
22-Dehydrocholesteryl acetate, *cis trans,* bromination dibromopyridine sulfate, 297
7-Dehydrodesmosterol, in nervous system, effect of hypocholesterolemic drugs, 841
Dehydroepiandrosterone, effect on hepatic lipogenesis, mouse triglycerides, and obesity in mouse, 409
Delipidation, serum lipoproteins, 85
Desaturases, assay, 480
—— Δ^9, assay rat testes, 1017
—— Δ^9, liver, lean, obese rat, dietary fat, 135
—— inhibition by cyclopropenoid fatty acids, 480
Desaturation, fatty acid, soybean cell cultures, 121
Desmosterol, accumulation, Δ^{24} sterol reductase inhibition, 691
—— in nervous system, effect of hypocholesterolemic drugs, 841
Desulfovibrio desulfuricans, iso and anteiso monoenoic fatty acids, 717
Deuteration, octadecanoates, oxooctadecanoates, 92
Deuterohydroxyoctadecenoates, preparation, oxooctadecanoates, 92
Development, early, effect on plasma cholesterol, 145
—— toad, lipid metabolism, 131
Dextrin, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
1,2-Diacyl-sn-glycerols, molecular species, biosynthesis, goldfish, 316
1,2-Diacylglycerylaminoethylphosphonate, methylation and synthesis, rat tissues, 75
Dialkylsulfoxides, synthesis, 105
Dialuric acid, synthesis, purification, 981
Dialysis, gangliosides, 979
Diaphragm, rat, lipogenesis from branched chain amino acids 1012
Diazacholesterol, sterol formation in nervous system, 841
20,25-Diazacholesterol, hypocholesterolemic effect, 691
Dictyostelium discoidium, see slime mold
2,2-Dideuteroacids, preparation, fatty acids, D_2O exchange, 92
Diels-Alder reaction, conjugated diene dtmn, 914
Diester waxes, canine skin surface lipids, TLC, 786
Diesters, antimicrobial activity, 753
Diet, atherogenic, rat serum, tissue lipids, 3-hydroxy-3 methylglutaric acid, 253
—— effect on murine leukemia cell fatty acid comp, 747
—— sheep plasma lipids, 423
Dietary fat, effect on trout lipid, 495
Dietary regulation, fatty acid synthesis, rat, stearoyl-CoA desaturase, 469
Di-2-ethylhexyl phthalate, dietary, and palmitoyl CoA oxidation, 581
—— and rat liver mitochondrial protein, 581
Diglycerides, molecular species, biosynthesis, goldfish, 316

E

EC 1.3.99.1, see succinate dehydrogenase
EC 1.13.11.12, see lipoxygenase
EC 2.3.1, see lypsophosphatidic acid acyltransferase
EC 2.3.1.9, see acetoacetyl CoA thiolase
EC 3.1.1.3, see lipase
EC 3.1.1.4, see phospholipase A
EC 3.1.1.13, see sterol-ester hydrolase
EC 3.1.3.2, see acid phosphatase
EC 3.1.3.5, see 5'-nucleotidase
EC 3.1.3.9, see glucose-6-phosphatase
EC 3.1.4.3, see phospholipase C
EC 3.5, see cholanoyl amino acid hydrolase, 922
EC 4.1.3.8, see citrate lyase
Echinodermata, dienoic fatty acids, fatty acid profile, 170
Ecochemistry, iso and anteiso monoenoic fatty acids as markers, 717
Ehrlich ascites carcinoma, mice, hypertriglyceridemia, strain differences, 153
Ehrlich cells, fatty acid biosynthesis, regulation, ascites lipoproteins, 66
Eicosa-5,8,11,14-tetraynoic acid, effect on lipogenesis in mouse, 446
Eicosanol, see alcohols, primary, long chain
Eicosatrienoic acid, absence, plasma, sheep, fat-free infusion, 235
Eicosenoic acid, deposition, distribution, pig cardiac phospholipids, 159
—— dietary, rat heart phospholipids, incorporation, 301
Elaidic acid, in rat heart phospholipids, 486
—— stereospecific synthesis, 760
Electron microscopy, mouse hepatocyte membrane, 327
—— rat brain capillary endothelia, phospholipids, 165
Electrophoresis, agarose gel, lipoprotein assay, 278
—— disc gel, rabbit lung fractions, 879
—— lymph particles, 500
—— polyacrylamide gel, rat VLDL apoproteins, 289
Elemicin, MS, IR, UV, NMR, 321
Embryo toad, lipid metabolism, 131
cis-**Endiyne chromophore,** isano oil, 669
Endothelia, rat brain capillary, isolation, ultracentrifugation, glass bead filtration, lipid, fatty acid comp, 165
Enzyme kinetics, rabbit mammary gland microsomes, 556
Enzyme synthesis, chain elongation, 434
Enzymes, effects of cyanide, inhibition by pH, peanuts, 682
—— lipogenic dietary regulation, 469
—— prostaglandins synthesis, 591
—— rat liver, probucol, 29
Epicholestanyl esters, unsaturated, GLC, 228
Epididymal fat, cholesterol deposition, hypocholesterolemic drugs, 22
—— mice, Ehrlich acites carcinoma, strain, fasting, 153
Epididymal fat pad, rat, lipogenesis from branched chain amino acids, 1012
Epididymus, lipids rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
cis-**9,10-Epiminooctadecan-1-ol,** antimicrobial activity, 753
cis-**9,10-Epiminooctadecane,** antimicrobial activity, 753
trans-**9,10-Epiminooctadecane,** antimicrobial activity, 753
cis-**9,10-Epiminooctadecanoate,** antimicrobial activity, 753

Epoxide, C_{20}, occurrence, 610
—— linoleate monolayer autoxidation products, 971
12,15-Epoxy-13,19-dimethyleicosa-12,14-dienoic acid, in spawning male freshwater fish, 828
(+)*cis*-14,15-Epoxy-*cis*-11-eicosenoic acid, see alchornoic acid
9,10-Epoxyoctadecanoate, autoxidation of methyl oleate, 901
Epoxyoctadecanoic acid, *Cronartium fusiforme,* 398
9,10-Epoxyoctadecenoic acid, linoleate, linolelaidate oxidation as monolayers, 971
12,13-Epoxyoctadecenoic acid, linoleate, linolelaidate oxidation as monolayers, 971
Equivalent chain length, cholesteryl esters, stearyl esters, methyl esters, GLC, 228
—— hydrocarbons, fatty acid esters, GLC, 182, 204
Ergosta-8,14-dien-3β-ol, yeast, 666
Ergostane sterols, yeast, 645
Ergosterol, ascomycetes, basidiomycetes, configuration, PMR, 365
—— effect of cerulenin on synthesis in yeast, 729
—— synthesis, inhibition in yeast, 666
—— yeast 645
Erucic acid, cardiac metabolism in rat and monkey, 791
—— deposition, distribution, pig cardiac phospholipids, 159
—— dietary fatty acid balance and myocardial lesions, 951
—— dietary, rat heart phospholipids, incorporation, 301
—— metabolism in rat tissue, 563
—— rat heart acyl Co-A dehydrogenase activity, 177
—— rat heart cell cultures, phospholipids, 375
—— rat heart lipids, lesions, 215
—— in rat heart phospholipids, 486
—— rat liver epithelial cells in culture, 1043
Esox lucius, see pike, northern
Essential fatty acids, deficiency, rat liver fatty acids, positional isomers, 307
—— prostaglandin biosynthesis, 604
Esterification, cholesterol, cultured hepatoma cells, 222
Ethane, linoleate hydroperoxide scission, expiration, vitamin E-deficient rat, 109
—— from linolenate hydroperoxide decomposition, 894
—— rat breath, GC, 109
Ethanolamineglycerophosphatide, pig heart, dietary fat, fatty acid, aldehyde profile, 159
—— rat brain capillary endothelia, fatty acids, aldehydes, 165
Ether, aromatic, in umbelliferae seed essential oils, 321
—— human brain tumor glycerolipids, 188
Ether lipids, human brain tumor, isolation, 188
Ethionine, effect on hepatic PC fatty acid comp, 889
2-Ethoxy-1,3-dioxolanes, in stereospecific synthesis, 760
Ethylene, from linolenate hydroperoxide decomposition, 894
Euphorbia pulcherrima, deca-2,4,6-trienoic acid in latex, 707
Extraction, Bligh and Dyer, cultured cells, 698
—— Bligh and Dyer, rat heart, 769
—— Bligh and Dyer, tissues, 691
—— butter serum, 983
—— canine skin surface lipids, 786
—— ethanol, lipids from yeast, 729
—— Folch, rat brain lipids, 763
—— gangliosides, Folch, 979
—— latex, triterpene esters, 707
—— soxhlet, oil seeds, 736
—— white matter, feline, 711

F

Fasting, hypertriglyceridemia in mice, Ehrlich ascites carcinoma, 153
—— refeeding, liver phospholipids, fatty acids, glucose-6-phosphate dehydrogenase, dietary fat, 386
Fat, animal, vegetable, atherosclerosis, hypercholesteremia, 49
Fat, dietary, cholesterol in calf blood and tissue, 586
—— effect on lymph particles, 500
—— lipid biosynthesis, lean, obese rat, 135
—— liver phospholipids, fatty acids, glucose-6-phosphate dehydrogenase, fasting-refeeding, 386
—— mouse hepatocyte membrane fatty acid profile, 327
—— pig cardiac phospholipids, fatty acid, aldehyde profile, 159
—— rat serum, tissue lipids, 3-hydroxy-3-methylglutaric acid, 258
—— saturated, rat VLDL apoproteins comp, iodination, 289
—— sheep plasma lipids, 423
Fatty acid biosynthesis, assay, ^3H_2O incorporation, 66
—— Ehrlich cells, regulation, ascites lipoproteins, 66
—— hepatic, lean, obese rat, dietary fat, 135
—— hydroxycitrate, *allo*-hydroxycitrate, 357
—— inhibition by cerulenin in yeast, 729
—— inhibition by 5-(tetradecyloxy)-2-furoic acid, 814
Fatty acid composition, sheep plasma lipids, 423
Fatty acid desaturase, Δ^6, assay, 267
—— hepatic, lean, obese rat, dietary fat, 135
—— Δ^6, inhibition, antibodies, cytochrome b_5, 267
—— Δ^6, rat liver microsomes, cytochrome b_5, 267
Fatty acid metabolism, mouse brain, 661
Fatty acid methyl esters, thin-layer chromatography, 544
Fatty acid profile, *bis*-phosphatidates in immature soybeans, 451, 1083
—— bovine milk PC, LPC, PE, LPE, 983
—— canine skin surface diester waxes, 786
—— cardiac lipids, erucic acid fed rats, 769
—— cattle tick egg wax lipids, 182
—— *cephalosporium falciforme,* lipids, temperature, 125
—— *cephalosporium kiliense,* lipids, temperature, 125
—— cerebrosides, developing human foetal brain, 335
—— cholesteryl esters, cultured hepatoma cells, rabbit serum lipoproteins, 222
—— coconut oil mouse diet, 747
—— coconut oil triglycerides, 1062
—— commercial mouse chow, 747
—— *Cronartium fusiforme,* 398
—— cultured cells, PC, PE, PS & PI, 698
—— egg yolk phosphatidyl ethanolamine, 529
—— gerbil liver, heart, testes, EFA + or −, 741
—— high and low 18:2 milk fat, 994
—— human adrenal lipid, 620
—— human milk, infant formulas, 407
—— isano oil, 669
—— lung surfactant, 505
—— marine lipids, 170
—— molecular species, milk triglycerides, 1005
—— mouse hepatocyte membrane, dietary fat, 327
—— mouse liver, 446
—— NL and PL of murine leukemia cells, effect of diet, 747
—— PC from fetal rabbit lung during development, 1050
—— phosphatidyl choline, rabbit lung lavage, rabbit type II pneumocytes, tumor, 438
—— phospholipids, liver, fasting-refeeding, dietary fat, 386
—— phospholipids, rat heart cell cultures, 375
—— pig cardiac phospholipids, dietary fat, 159
—— rapeseed oil, var. Span, var. Tower, 769
—— rat adipose, plasma, hepatic and aortic microsomes, 1025
—— rat brain capillary endothelia, phospholipids, 165
—— rat diets, various dietary fats, 951, 1017
—— rat feces, 691
—— rat heart mitochondria, 486
—— rat heart phospholipids, dietary rapeseed oil, 301
—— rat heart triglycerides, phospholipids, dietary rapeseed oils, 215
—— rat hearts, various dietary fats, 951
—— rat liver epithelial cells in culture PC, PE, SPM, 1043
—— rat liver phosphatidyl ethanolamine, phosphatidyl serine, 529
—— rat lung lipids, 596
—— rat skin lipids, 604
—— rat testes microsomal lipids, various diets, 1017
—— rat testes PC, PE, TG, various diets, 1017
—— rat VLDL lipids, dietary fat, 289
—— sheep plasma, fat-free infusion, 235
—— slime mold, 414
—— sunflower seed oil mouse diet, 747
—— tissue lipids, rats, nephrotic syndrome, 208
—— trout lipid, phospholipid, 495
—— trout triglycerides, 538
—— tumors, human brain, PC, PE, and PE plasmalogen, 722
—— turkey skin lipid, 626
Fatty acid synthesis, dietary carbohydrate, linoleate, palmitate, 469
—— rat, acyl-CoA desaturases, 469
—— rat, dietary regulation, 469
Fatty acid synthetase, action of halofenate, 34
Fatty acids, anteiso, chemical synthesis, monoenoic, mass spectra, 717
—— anteiso, monoenoic, in *D. desulfuricans,* 717
—— branched chain, sheep tissue lipids, isolation, GLC, 340
—— branched, chemical synthesis, monoenoic, mass spectra, 717
—— branched, 3-methylbutyric in canine diester waxes, 786
—— branched, monoenoic, in *D. desulfuricans,* 717
—— chain elongation, Ehrlich cells, regulation ascites lipoproteins, 66
—— *cis, trans,* rat heart acyl Co-A dehydrogenase activity, 177
—— cyclopropane, slime mold, 414
—— cyclopropene, metabolism in rat, 629
—— cyclopropenoid, inhibition of desaturases, 480

—— D_2O exchange, dideuteroacids, 92
—— dienoic, non-methylene interrupted, marine invertebrates, 170
—— epoxy, formation by a soybean extract, 941
—— epoxy, linoleate, linolelaidate oxidation as monolayers, 971
—— epoxy, in spawning male freshwater fish, 828
—— epoxy-oxo, formation by a soybean extract, 941
—— essential, effect on tissue lipid comp in gerbils, 741
—— essential, rat testes, spermatogenesis, 1017
—— furan, in spawning male freshwater fish, 828
—— hydroxy, autoxidation of linolenate, 837
—— hydroxy, oleate autoxidation, GC-MS, 901
—— hydroxy, synthesis from keto acids, GC-MS, 1055
—— isano oil, chromatography, countercurrent fractionation, mass spectroscopy, 669
—— iso, chemical synthesis, monoenoic, mass spectra, 717
—— iso,3-methylbutyric in canine diester waxes, 786
—— iso, monoenoic, in *D. desulfuricans*, 717
—— liver, synthesis, inhibition, hydroxycitrate, 1
—— long chain, turkey skin lipid, 626
—— medium chain, sheep tissue lipids, isolation, GLC, 340
—— methyl esters, argentation TLC, radio-GLC, 121
—— monoenoic, myocardial necrosis in the rat, 951
—— monounsaturated, position, ozonolysis, 293
—— monounsaturated, prostaglandin biosynthesis, 604
—— monounsaturated, rat tissue, 563
—— nomenclature, 455
—— non-esterified, bovine tissue, milk, phytanic acid content, 115
—— oxidation, developing rat, 367
—— oxo, formation by a soybean extract, 941
—— oxygenated, soybean phosphatidyl cholines, 613
—— precursors, ketogenesis, lipogenesis, developing rat, 367
—— selena, antimicrobial activity, 753
—— sponge, synthesis, 570
—— *trans*, autoxidation of linolenate, 837
—— *trans*, human milk, infant formulas, GLC, 407
—— trihydroxy, linolenate autoxidation GC-MS, 1055
—— unsaturated, distribution in trout triglycerides, 538
—— unsaturated, double bond location, 544
—— unsaturated, positional isomers, rat liver lipids, 307
—— unsaturated, shrimp, 544
—— uptake, metabolism, soybean cell cultures, 121
—— utilization, Ehrlich cells, regulation, ascites lipoproteins, 66
Fatty alcohols, arylsulfonate esters as hypocholesterolemic agents, 819
—— arylsulfonates as hypocholesterolemic agents in rat, 686
—— metabolism in rat brain, 872
Fatty alcohol profile, cattle tick egg wax lipids, 182
Fatty aldehyde profile, pig cardiac phospholipids, dietary fat, 159
—— rat brain capillary endothelia, phospholipids, 165
Fatty diols, canine skin surface waxes, 786
Fatty liver, rat, effect of 2-mercaptoethanol, 641
Ferns, sterols, 511
Fetus, rabbit, lung development, 1050
Fiber, and hypercholesteremia, atherosclerosis, 49
Fibroblasts, human embryonic in culture, lipid synthesis, 698
Field desorption mass spectrometry, biologically important lipids, 847
Fish, freshwater, furan fatty acids, 828
Fluorescence, lipid peroxidation in cats, 945
—— depolarization, membrane fluidity, 1025
Fluorescence spectra, see spectra, fluorescence
Foetus, human, brain, cerebroside fatty acid profile, 335
Food chain, marine, dienoic fatty acids, 170
Force-area curve, model lipids, 857
Fragmentation patterns, field desorption mass spectrometry, 847
—— GC-MS of iso and anteiso monoenoic fatty acids, 717
Fructose, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
—— and hypercholesteremia, atherosclerosis, 49
—— rat, lipid synthesis, inhibition, hydroxycitrate, 1
Fucosterol, isolation, purification, chromatography, kelp, 241
Fungi, lipid, fatty acid profile, temperature, 125
Furan fatty acids, in spawning male freshwater fish, 828
Furoic acid, 5-(tetradecyloxy)-2-, inhibition of lipid synthesis, 814

G

Gangliosides, TLC, TCA-PTA precipitation, 979
Gas-liquid chromatography, see chromatography, gas-liquid
Gemcadiol, antilipemic activity, clinical changes, side effects, 44
—— hypotriglyceridemic, hypocholesterolemic activity, 44
Geochemistry, iso and anteiso monoenoic fatty acids as markers, 717
Geotrichum candidum, lipase, pancreatic colipase interaction, 393
Gerbil, brain, heart, liver, testes, fatty acid profile EFA + or −, 741
—— testes, histology in EFA-deficiency, 741
Glioblastoma, human, fatty acid profile PC, PE and PE plasmalogen, 722
Glucagon, effect on cyclic AMP in rat hepatocytes, 577
Glucose, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
—— and hypercholesteremia, atherosclerosis, 49
—— incorporation, CO_2, phospholipids, triglycerides, Ehrlich cells, 66
—— metabolism in developing rat brain, 957
—— uptake by perfused rat lung, 930
Glucose-6-phosphatase, marker enzyme, endoplasmic reticulum, 327
—— rat liver, probucol, 29
Glucose-6-phosphate dehydrogenase, action of halofenate, 34
—— liver, fasting-refeeding, dietary fat, 386
Glutamic dehydrogenase, in developing rat brain, 957
—— rat liver, probucol, 22
Glutamic-pyruvic transaminase, rat liver, probucol, 29
Glycerokinase, adipose tissue, human, assay, enzyme kinetics, 272
Glycerol, biosynthesis from glucose, cultured hepatoma cells, 254
—— incorporation, diglycerides, phosphatidylcholines, goldfish, 316
—— incorporation, toad lipids, development, 131
—— permeability of liposomes with and without cholesterol, 863
Glycerol ester hydrolase, in pulp, unerupted calves' teeth, 236
sn[U-^{14}C] Glycerol-3-phosphate, incorporation into hamster lipids, 550
Glycerol release, rat adipose tissue, and 2-mercaptoethanol, 641
Glycerolipids, ether-linked, human brain tumor, 188
α-Glycerophosphatedehydrogenase, action of halofenate, 34
Glyceryl diesters, monolayers with cholesterol, 857
Glyceryl diethers, monolayers with cholesterol, 857
Glyceryl ether lipids, human adrenals, 620
Glycine gracilis, see soybeans
Glycine max (L.) Merr., see soybeans
Glycine soya, see soybeans
Glycolipids, nomenclature, 455
Goldfish, acclimated, phosphatidyl choline diglyceride, synthesis, 316
Grignard reagent, stereospecific anal milk TG, 1005
Guinea pig, plasma cholesterol, suckling, post-weaning, 145

H

Haemagglutination, inhibition, lipoproteins, rubella virus, 85
Halofenate, depression of serum lipids, effect on various enzymes, hypolipidemia, hypouricemia, inhibition hepatic triglyceride synthesis, inhibition pyruvic dehydrogenase, 34
Hamster, cardiomyopathic, lipid metabolism, lipases, plasma lipids, 550
—— lipids, *sn*[U-^{14}C] glycerol-3-phosphate incorporation, 550
Heart, bovine, lipids, phytanic acid content, 115
—— gerbil, fatty profile EFA + or −, 741
—— monkey, metabolism of erucic and cetoleic acids, 791
—— pig, phospholipids, dietary fat, fatty acid, aldehyde profile, 159
Heart, lipids, rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
Heart mitochondria, mammalian, effects of dietary di-2-ethylhexyl phthalate, 581
—— rat, effect of dietary erucate and elaidate, 486
Heart, rat, cell cultures, erucic acid, phospholipids, 375
—— dietary fatty acid balance and myocardial lesions, 951
—— effect of partially hydrogenated low erucic oils, 769
—— incorporation, 2-aminoethylphosphoric acid, 75
—— lipids, lesions, dietary rapeseed oils, 215
—— metabolism or erucic and cetoleic acids, 563, 791
—— mitochondria, β-oxidation, *cis, trans* acids, 177
—— mitochondrial acyl Co-A dehydrogenase activity, 177
—— phospholipids, comp, fatty acid profile, dietary rapeseed oil, 301
Hematin, catalysis peroxidation of 18:2, 18:3 and 20:4, 894
Heme, role in cyclooxygenase, 591
Hemolysis test, dialuric acid, 981
Heneicosenedione, synthesis and properties, 635
Heparin, precipitation of beta lipoproteins, assay, 22

—— precipitation, lipoprotein assay, 278
Hepatic lipogenesis, effect of eicosa-5,8,11,14-tetraynoic acid, 446
—— mouse, effect of dehydroepiandrosterone, 409
Hepatitis, lipase deficiency, 443
Hepatocytes, isolation, 814
—— mouse, membrane fatty acid profile, dietary fat, 327
—— rat, cyclic AMP, insulin and glucagon, 577
—— rat, inhibition of lipid synthesis by 5-(tetradecyloxy)-2-furoic acid, 814
—— rat, lipogenesis, 577
Hepatoma, cultured cells, lipid biosynthesis from glucose, 254
—— rat, cultured cells, cholesteryl esters, 222
Hepatotoxins, lipid peroxidation induced by CCl_4 or $BrCCl_3$, 914
Heptadecenoic acid, Δ^8 and Δ^9 iso and anteiso 17:1, synthesis, GC-MS, 717
Herring oil, partial hydrogenated, cardiac metabolism, 791
Hexadecanol, see alcohols, primary, long chain
1-0-Hexadecanoyl 2-[(14-hexadecanoyloxy)0-tetradecanoyl] 1,2-hexadecanediol, see triesters
2-0-Hexadecanoyl-1-[(14-hexadecanoyloxy)0-tetradecanoyl] 1,2-hexadecanediol, see triesters
trans, trans-**2,4-Hexadiene,** conjugated diene dtmn, 914
High performance liquid chromatography, see chromatography, high performance liquid
Hircinoic acid, see 4-methyloctanoic acid
Histology, cardiac, monkeys, erucic and cetoleic acids, 791
—— rat heart, erucic acid, 769
—— rat hearts, 951
—— rat testes, spermatogenesis, 1017
HMG CoA reductase, action of halofenate, 34
^3H_2O, incorporation into fatty acids, assay biosynthesis, 66
Human adrenals, lipids, 620
Hydrazine, partial reduction of $\Delta^{2,4,6}$ 10:3, 707
Hydrocarbons, hydroperoxide scission, expiration, vitamin E-deficient rat, 109
—— isoprenoid, bovine rumen liquor, dietary phytol, prep, 204
—— rat breath, GC, 109
Hydrocarbon profile, cattle tick egg wax lipids, 182
—— rabbit tissues, 198
Hydrogen bonding, in model membrane lipids, 857
—— permeability of liposomes, 863
Hydrogenated fat, effects on rat heart, 486
Hydrogenation, *P. virgata* acetotriglycerides, 736
—— partial, low erucic rapeseed oils, 769
Hydrolase, glycerol ester in pulp, unerupted calves' teeth, 236
Hydrolysis, phosphonolipids, rat liver, phospholipase A_2, 75
Hydroperoxide isomers, linoleate, peanut lipoxygenase, 418
Hydroperoxides, dtm, 475
—— hematin and ascorbic acid for decomposition, 894
—— linoleic acid, prep, lipoxygenase, UV, IR, NMR, MS, optical rotation, 324
—— linolenate, reduced GC-MS, $NaBH_4$ or KI, 1055
—— lipid, addition to cysteine, 655
—— methyl linoleate, isomeric, HPLC, prep, isolation, reduction, $NaBH_4$, UV, NMR, IR, 99
—— $NaBH_4$ or KI-reduced, GC-MS, 901
—— scission, ethane, pentane, expiration, 109
13-Hydroperoxy-*cis*-9,*trans*-11-octadecadienoic acid, addition to cysteine, 655
Hydroxy fatty acids, cerebrosides, developing human foetal brain, isolation, TLC, 335
Hydroxy linoleic acid, methyl ester, isomers, preparation, HPLC, UV, 99
3-Hydroxy-3-methylglutaric acid, hypocholesteremic effects in rat, 689
—— rat serum, tissue lipids, dietary fat, 258
—— serum liver lipids, dietary carbohydrate, 262
5-Hydroxybarbituric acid, synthesis, purification, 981
β-Hydroxybutyrate, lipogenesis in rat brains, 957
—— synthesis, developing rat liver, 367
Hydroxycitrate, acetyl Co-A carboxylase, fatty acid, cholesterol synthesis, 357
—— fatty acid, cholesterol ester, phospholipid biosynthesis, liver, inhibition, 1
—— serum cholesterol, triglyceride, lowering of, hypolipidemic activity, inhibition of citrate lyase, 1
Hydroxyesters, separation of trimethylsilyl ethers, silylation, 475
7-α-Hydroxylase, calf liver, effect of dietary fat, 586
Hydroxyoctadecanoate, oleate autoxidation, GC-MS, 901
Hydroxyoctadecatrienoates, GC-MS, 1055
Hypercholesterolemia, dietary protein, fat, carbohydrate and fiber, 49
—— relation to triglyceride secretion rates, 936
Hypercholesterolemic agents, arylsulfonate esters, 819
Hypercholesterolemic drugs, lipoprotein retention by aorta smooth muscle cells, 1069
Hyperketonemia, during early postnatal development, 957
Hyperlipidemia, symposium, 1
Hyperlipoproteinemia, type II, III, IV, & V, gemcadiol treatment, 44
Hypertriglyceridemia, mice, Ehrlich ascites carcinoma, strain differences, 153
Hypobetalipoproteinemia, adamantyl-oxyphenyl piperidine, 22
Hypocholesterolemia, drug-induced, 22
—— rat, mouse, monkey, probucol-induced, 29
Hypolipidemia, effect of hydroxycitrate, 1
Hypocholesterolemic drugs, C_{12}-C_{18} amines, 691
Hypocholesterolemic effects, ethyl p-chlorophenoxy isobutyrate, 689
—— fatty alcohol arylsulfonates, 686
—— 3-hydroxy-3-methylglutaric acid, 689
Hypolipidemic drugs, safety aspects, clinical effectiveness, FDA considerations, 64

I

Icerya purchasi, acetotriglycerides, 736
Ictalurus melas, see bullhead, northern black
Ictiobus cyprinelbus, see buffalo bigmouth
Ileal bypass, lowering of serum cholesterol, 53
Immunodiffusion, serum lipoproteins, 85
Infant formulas, *trans* fatty acids, fatty acid profile, 407
Infarction, myocardial, aspirin, intervention study, 59
Infra red spectra, see spectra, infra red
Inguinal fat, mice, Ehrlich acites carcinoma, strain, fasting, 153
Insect, scale, acetotriglycerides, 736
Insulin, effect on cyclic AMP in rat hepatocytes, 577
Insulinase, action of halofenate, 34
Intermuscular fat, mice, Ehrlich acites carcinoma, strain, fasting, 153
Intestinal absorption, phosphatidyl choline, rat, 149
—— fat, taurocholate, 193
Intestine, sterol-ester hydrolase, effect of hypocholesterolemic agents, 819
Intestine lipids, rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
Intestine, rat, cholesterol metabolism, 676
—— cholesterol synthesis, bile acids, 245
—— lipogenesis, ^{14}C-pyruvate and acetate, 1080
—— taurocholate absorption, 193
Invertebrates, marine, dienoic fatty acids, fatty acid profile, 170
Iodination, rat VLDL apoproteins, dietary fat, 289
Isano oil, *cis*-endiyne chromophore, fatty acids, 669
Isoenzymes, substrate activity of soybean lipoxygenase, 732
Isoleucine, lipogenesis in rat aorta, diaphragm and fat pad, 1012
Isopicnic equilibrium, rabbit lung proteins, 879

J

Jejunum, rat, lipogenesis, ^{14}C-pyruvate and acetate, 1080
Jelly fish, white, dienoic fatty acids, fatty acid profile, 170

K

Kelp, isolation fucosterol, 241
Ketogenesis, developing rat liver, 367
—— effect of 5-(tetradecyloxy)-2-furoic acid, 814
Ketone bodies, lipogenesis in rat brains, 957
—— synthesis, developing rat liver, 367
Kidney, bovine, lipids, phytanic acid content, 115
—— lipids, rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
—— rabbit hydrocarbon profile, 198
—— rat, incorporation, 2-aminoethylphosphoric acid, 75
—— rat, metabolism of erucic acid, 563
—— sheep, medium chain, branched chain fatty acids, 340
King Cobra, venom phospholipase A, 983

L

Labeling, ^{14}C, ^3H, lipid synthesis in cultured fibroblasts, 698
Lactate, production by perfused rat lung, 930
Lactic dehydrogenase, action of halofenate, 34
—— rat liver, probucol, 29
Lactoperoxidase, ^{125}I labeling of lipoproteins, 1069
Lactose, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
Laminectomy, spinal cord trauma in cats, 945
Lard, effect on trout lipids, 465

—— lymph particles, 500
—— prostaglandin synthesis, 604
Lateral funiculus, free and esterified cholesterol drug development, 711
Laurel, sterols, 511
Lavage, lung, surfactant during rabbit fetal development, 1050
Lecithin, taurocholate absorption, rat intestinal loops, 193
Lepomis macrochirus, see bluegill
Lesions, cardiac effect of partially hydrogenated low erucic oils, 769
Leucine, lipogenesis in rat aorta, diaphram and fat pad, 1012
Leukemia cells, murine, effect of diet on fatty acid profile of NL and PL, 747
$LiAlH_4$, reduction, methyl esters, tosylates, mesylates, 92
Lignoceric acid, stereospecific anal of peanut oil, 775
Linoleamides, hypocholesterolemic agents, 819
Linoleate, elevation in human brain tumor PL, 722
—— encapsulated, polyunsaturated milk production, 994, 1005
—— methyl, autoxidation, GC-MS, 908
—— methyl, hydrocarbon production during peroxidation, 894
—— oxidation by a soybean extract, 941
Linoleate hydroperoxides, dtmn, 475
Linoleate synthesis, control, 446
Linolcic acid, autoxidation as monolayers on silica gel, 971
—— 9-D-hydroperoxide, preparation, lipoxygenase, UV, IR, NMR, MS, optical rotation, 324
—— desaturation, rat liver microsomes, cytochrome b_5, 267
—— dietary, liver phospholipids, fatty acids, glucose-6-phosphate dehydrogenase, fasting-refeeding, 386
—— family, hydroperoxide scission, pentane expiration, 109
—— hydroxy, methyl ester, isomers, preparation, HPLC, UV, 99
—— methyl ester, autoxidation, hydroxyesters, hydroperoxides, UV, NMR, IR, 92
—— methyl ester, hydroperoxides, isomeric, HPLC, reduction, $NaBH_4$, 99
—— monolayer on silica gel, 965
—— uptake, metabolism, soybean cell cultures, 121
Linoleic acid amide, rabbits, cholesterol absorption, hypocholesterolemia, hypotriglyceridemia, inhibition, 16
Linoleic acid hydroperoxide, addition to cysteine, 655
Linolelaidic acid, autoxidation as monolayers on silica gel, 971
—— monolayer on silica gel, 965
Linolenate, autoxidation, GC-MS, 1055
—— autoxidation, HPLC of products, 837
—— methyl, hydrocarbon production during peroxidation, 894
—— relation to myocardial necrosis, 951
Linolenic acid, family, hydroperoxide scission, ethane expiration, 109
α-Linolenic acid, from linoleic acid, desaturation, rat liver microsomes, cytochrome b_5, 267
Linoleyl p-toluensulfonate, as hypocholesterolemic agent in rat, 686
Linolcyl sulfate, substrate for soybean lipoxygenase isoenzymes, 732
Linoleyl tosylate, hypercholesterolemic agent, 819
Linseed oil, effect on rat cardiac lipids, 769
—— fatty acids, cholesteryl esters GLC, 228
Lipase, activity and dietary fat, 486
—— hydrolysis, stereospecific anal soybean TG, 1032
—— pancreatic, digestibility of partially hydrogenated herring oil, 791
—— pancreatic, human brain tumor PL, 722
—— pancreatic, in stereospecific anal, 775
—— pancreatic, microbial, pancreatic-colipase interaction, 393
—— pancreatic, *P. virgata* acetotriglycerides, 736
—— pulp, unerupted calves' teeth, 236
—— hamster, 550
—— hepatitis, liver disease, separation, 443
Lipid biosynthesis, from glucose, cultured hepatoma cells, 254
Lipid composition, *cephalosporium falciforme, cephalosporium kiliense,* temp, 125
Lipid hydroperoxide, addition to cysteine, 655
Lipid metabolism, cardiomyopathic hamster, 550
—— developing toad, 131
—— plasma, liver, adipose tissue, nephrotic syndrome, 208
Lipid peroxidation, ethanol potentiation in spinal cord trauma, 945
Lipid profile, human brain tumor, 188
Lipid synthesis, hepatic, lean, obese rat, dietary fat, 135
—— in cultured human embryonic fibroblasts, 698
—— inhibition, hydroxycitrate, 1
—— in vivo, assay, 1
—— labeled substrates, cultured human fibroblasts, 698
—— liver, in vitro, assay, 1
—— liver, probucol, 29
Lipids, cardiac, rat, dietary rapeseed oils, 215
—— cattle tick egg wax, isolation, fractionation, GLC, 182
—— nomenclature, 455
—— plasma, hamster, 550
—— rat lung, peroxidation and age, 596
—— slime mold, 414
—— tissue, rat, incorporation, 2-aminoethylphosphoric acid, 75
Lipogenesis, developing rat brain, ^{14}C acetate and glucose, 763
—— in developing rat brain, ketone bodies, 957
—— developing rat liver, 367
—— human aorta, various precursors, CPIB, 1069
—— in the perfused rat lung, 930
—— in rat hepatocytes, 577
—— rat aorta from branched chain amino acids, 1012
—— rat jejunum, ^{14}C-pyruvate and acetate, 1080
Lipogenesis, hepatic, effect of eicosa-5,8,11,14-tetraynoic acid, 446
—— lean, obese rat, dietary fat, 135
—— mouse, effect of dehydroepiandrosterone, 409
β-Lipoprotein lipids, rat, effect of 3-hydroxy-3-methylglutaric acid, 689
Lipoprotein particles, lymph, size distribution, 500
Lipoproteins, ascites plasma, isolation, ultracentrifugation, regulation, fatty acid, biosynthesis, Ehrlich cells, 66
—— assay, ultracentrifugation, electrophoresis, heparin precipitation, 278
—— labeling with ^{125}I by lactoperoxidase, 1069
—— plasma, comp, action of halofenate, 34
—— sheep plasma, 423
β-Lipoproteins, serum, 3-hydroxy-3 methylglutaric acid, dietary carbohydrate, 262
Lipoproteins, high density, ascites plasma, regulation fatty acid biosynthesis, Ehrlich cells, 66
—— comp, action of halofenate, 34
—— haemagglutination, inhibition, rubella virus, 85
—— serum, elevation of, drug induced, 22
Lipoproteins, low density, ascites plasma, regulation fatty acid biosynthesis, Ehrlich cells, 66
—— comp, action of halofenate, 34
—— haemagglutination, inhibition, rubella virus, 85
—— isolation by ultra centrifugation, 1069
—— serum, assay, heparin precipitation, 22
—— serum, lowering of, drug induced, 22
Lipoproteins, serum, delipidation, 85
—— haemagglutination, inhibition, rubella virus, 85
—— isolation, ultracentrifugation, immunodiffusion, 85
—— rabbit cholesterol incorporation by cultured cells, 222
—— rabbit, cholesteryl esters, fatty acid profile, 222
—— succinylation, methylation, acetylation, sonication, 85
Lipoproteins, very low density, ascites plasma, regulation fatty acid biosynthesis, Ehrlich cells, 66
—— comp, action of halofenate, 34
—— haemagglutination, inhibition, rubella virus, 85
—— isolation by ultra centrifugation, 1069
—— rat, apoproteins, iodination, dietary fat, 289
—— rat, delipidation, electrophoresis, 289
—— rat, TLC, GLC, lipids, 289
—— serum, assay, heparin precipitation, 22
—— serum, lowering of, drug-induced, 22
—— in squirrel and cebus monkeys, 936
Liposomes, permeability of model membranes, 863
Lipoxygenase, peanut, activity assay, 418, 682
—— peanut, calcium activation, linoleate hydroperoxide isomers, linoleate oxidation, oxygen consumption, pentane production, pH optima, 418
—— peanut, inhibition due to cyanide, 682
—— prep of hydroxylinolenates, 837
—— soybean, pH optimum of isoenzymes, 732
—— soybean, substrate activity of isoenzymes 1, 2 and 3, 732
—— tomato, specificity, 324
Lithocholic acid, free and bound in human liver, 922
ε-Lithocholyl lysine, in human liver, 922
Lithocholyl polylysine, synthesis, 24-^{14}C, 922
Liver, bovine, lipids, phytanic acid content, 115
—— cell membrane, mouse fatty acid profile, dietary fat, 327
—— disease, lipase deficiency, 443
—— developing rat, ketogenesis, lipogenesis, 367
—— gerbil, fatty profile EFA + or −, 741
—— human, lithocholic acid and ε-lithocholyl lysine, 922
—— lipid metabolism, rats, nephrotic syndrome, 208
—— mouse, lipogenesis, 409
—— phospholipids, fatty acids, glucose-6-phosphate dehydrogenase, fasting-refeeding, 386
—— rabbit hydrocarbon profile, 198
—— sheep, medium chain, branched chain fatty acids, 340
Liver cholesterol, calf, effect of dietary fat, 586
—— deposition, hypocholesterolemic drugs, 22
—— synthesis, inhibition, hydroxycitrate, 1
Liver fatty acids, synthesis, inhibition, hydroxycitrate, 1
Liver lipids, 3-hydroxy-3-methylglutaric acid, dietary carbohydrate, 262

—— pig fatty acids, cholesteryl esters, GLC, 228
—— rat dietary fat, 3-hydroxy-3 methylglutaric acid, 258
—— rat, effect of 3-hydroxy-3-methylglutaric acid, 689
—— rat, effect of tibric acid, 684
—— rat, unsaturated fatty acids, positional isomers, 307
Liver microsomes, rat, cytochrome b_5, desaturation linoleic acid, 267
Liver mitochondria, mammalian, effects of dietary di-2-ethylhexyl phthalate, 581
—— rat, and dietary fat, 486
Liver, rat, chain elongation, 434
—— cholesterol lowering, 686
—— cholesterol metabolism, 676
—— cholesterol synthesis, bile acids, 245
—— effect of ethionine and phenobarbital on PC fatty acids, 889
—— enzymes, lipid synthesis, probucol, 29
—— epithelial cells in culture, erucic acid, 1043
—— incorporation, 2-aminoethylphosphoric acid, 75
—— inhibition of lipid synthesis by 5-(tetradecyloxy)-2-furoic acid, 814
—— lipid peroxidation induced by CCl_4 or $BrCCl_3$, 914
—— lipid synthesis, dietary fat, 135
—— and 2-mercaptoethanol, 641
—— metabolism of erucic acid, 563
—— plasma membrane, phospholipid synthesis, 140
—— sterol content, hypercholesterolemic drugs, 691
Lung, aveolar lavage, surfactant during rabbit fetal development, 1050
—— rabbit, distribution of lipids, proteins and surface activity, 879
—— rabbit, fetal development, dipalmitoyl phosphatidyl choline, 1050
—— rat, incorporation, 2-aminoethylphosphoric acid, 75
—— rat, perfused, substrate metabolism, 930
Lung lipids, rat dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— rat, peroxidation and age, 596
Lung surfactant, fatty acids, phospholipids, purification, 505
—— phospholipid comp, 438
Lupenone, in ouricuri wax, 233
Lupeyl acetate, in ouricuri wax, 233
Lymph lipoproteins, electrophoresis, 500
Lysolecithin, taurocholate, absorption, rat intestinal loops, 193
Lysophosphatidic acid, TLC, 1083
Lysophosphatidic acid acyltransferase, micelle activity, rabbit mammary gland microsomes, 556

M

Macaca fascicularis, see monkey
Maidenhair tree, sterols, 511
Malonaldehyde, rat lung lipids, 596
—— spectrofluorescent detection, TBA test, spinal cord injury, 945
Mammary gland microsomes, rabbit, enzyme kinetics, 556
Man, aorta, cell culture of smooth muscle cells, 1069
—— aorta, effect of CPIB and clofibrate on lipoprotein retention, 1069
—— brain, gangliosides, Folch, 979
—— brain, tumor lipid fatty acid profiles, PC and PE, 722
—— cells in culture, embryonic fibroblasts, lipid synthesis, 698
—— liver, lithocholic acid and ε-lithocholyl lysine, 922
—— serum, cholesterol dtmn, micromethod, 1078
Marine invertebrates, dienoic fatty acids, fatty acid profile, 170
Mass fragmentography, shrimp unsaturated fatty acids, 544
Mass spectra, see spectra, mass
Memprane, bilayer, cholesterol-phosphatidyl choline, structural model, 348
—— bile canalicular, rat liver, phospholipid synthesis, 140
—— fluidity, effect of diet, 1025
—— model, permeability, 863
—— mouse hepatocyte, electron microscopy, fatty acid profile, dietary fat, isolation, zonal centrifugation, 327
—— plasma, rat liver, phospholipid synthesis, 140
Meningioma, human, fatty acid profile PC, PE and PE plasmalogen, 722
2-Mercaptoethanol, and ATP levels in rat adipose tissue, 2-mercaptoacetate, pyrazole, oxidation in vivo, 641
—— fatty acid mobilization and fatty livers, rat, 641
Mesodesma mactooides, see clam, yellow
Metabolism, fatty acid, mouse brain, 661
—— lipid effect of 5-(tetradecyloxy)-2-furoic acid, 814
—— lipid, yellow clam, 804
—— PL in yeast, 809
Methanesulfonates, primary alkanols, preparation, 92
Methyl eugenol, MS, IR, UV, NMR, 321
6-Methyl heptanoic acid, see fatty acids, branched chain
4-Methyl hexanoic acid, see fatty acids, branched chain
Methyl hydrogen suberate, preparation, 92
Methyl 9-hydroperoxy-trans-10, cis-12-octdecadienoate, see linoleic acid, methyl ester hydroperoxide
Methyl 9-hydroperoxy-trans-10, trans-12-octdecadienoate, see linoleic acid, methyl ester hydroperoxide
Methyl 13-hydroperoxy-cis-9,trans-11-octdecadienoate, see linoleic acid, methyl ester hydroperoxide
Methyl 13-hydroperoxy-trans-9, trans-11-octdecadienoate, see linoleic acid methyl ester hydroperoxide
Methylation, 1,2-diacylglycerylaminoethylphosphonate, rat tissues, 75
—— serum lipoproteins, 85
—— tetramethylammonium hydroxide, 786
3-Methylbutyric acid, canine skin surface diester waxes, 786
4-Methyloctanoic acid, sheep tissue lipids, GLC, 340
Mevalonate-^{3}H, incorporation into cholesterol, 684
—— metabolism, pine seeds, 382
Micelles, phosphatidyl choline cholesterol, intestinal absorption, rat, 149
Microbial lipase, colipase interaction, 393
Microciona prolifera, see sponge
Microsomes, mammary gland, rabbit, enzyme kinetics, prep, 556
—— rat liver, cytochrome b_5, desaturation linoleic acid, 267
—— rat liver, prep, 434
Microviscosity, membrane lipids, fluorescence depolarization, 1025
Milk, bovine, effect of linoleate on TG comp, 994, 1005
—— phospholipids and lysophosphatides, 983
—— phytanic acid content, 115
Milk, human, *trans* fatty acids, fatty acid profile, 407
Milk, polyunsaturated, stereospecific TG anal, 1005
—— TG comp, 994
Milkweed bug, sterol comp, metabolism, 318
Mitochondria, effects of dietary di-2-ethylhexyl phthalate, 581
—— heart, metabolism of erucic and cetoleic acids, 791
—— rat heart, acyl Co-A dehydrogenase activity, 177
—— rat heart, effect of dietary erucate and elaidate, 486
—— rat heart, β-oxidation, *cis, trans* acids, 177
—— rat liver, and dietary fat, 486
Molecular species, diglycerides, phosphatidyl cholines, biosynthesis, goldfish, 316
—— milk triglycerides, high 18:2, 1005
—— PC diglycerides by GLC, 889
Mollusc, dienoic fatty acids, fatty acid profile, 170
Monkey, cebus, triglyceride secretion rate, 936
—— heart, metabolism of erucic and cetoleic acids, 791
—— plasma, triglyceride secretion rate vs cholesterol level, 936
—— squirrel, triglyceride secretion rate, 936
Monoglycerides, antimicrobial activity, 753
Monolayers, prep with model lipids, 857
Monoolein, taurocholate absorption, rat intestinal loops, 193
Monounsaturated fatty acids, prostaglandin synthesis, 604
Morphological response, rotifer tocopherol bioassay, 875
Mouse, brain, fatty acid metabolism, 661
—— brain, phospholipids, 661
—— Ehrlich ascites carcinoma, hypertriglyceridemia, 153
—— hepatocyte membrane, fatty acid profile, dietary fat, 327
—— liver, lipogenesis, 409, 446
—— mutant, rhino, skin triesters, 283
—— prevention of obesity in, 409
—— triglycerides, effect of dehydroepiandrosterone, 409
Murine leukemia cells, effect of diet on fatty acid profile of NL and PL, 747
Muscle, sheep, medium chain, branched chain fatty acids, 340
—— skeletal, rabbit hydrocarbon profile, 198
Mussel, dienoic fatty acids, fatty acid profile, 170
Mutant yeasts, sterols in, 645
Mutton tallow, lymph particles, 500
Myelin, feline, free and esterified cholesterol in developing white matter, 711
Myocardial infarction, aspirin, intervention study, 59
Myocardial necrosis, partially hydrogenated low erucic oils, 769
—— rapeseed oil and other fats, 951
Myristicin. MS, IR, UV, NMR, umbelliferae seed essential oils, 321
Myrsinaceae, seed lipids, alkyl-, alkenylresorcinols, 402

N

N-cyclohexyl linoleamide, see linoleic acid linoleamides
N-(α-methyl benzyl) linoleamide, see linoleic acid linoleamides

N,N-dimethyl-3,7,11-trimethyldodecanamine, hypocholesterolemic effect, 691
N-[α-phenyl-β-(p-tolyl) ethyl] linoleamide, see linoleic acid linoleamides
$NaBD_4$, reduction of hydroxy esters, 92
$NaBH_4$, reduction, methyl linoleate hydroperoxides, 99
Necrosis, myocardial, rat, dietary rapeseed oils, 215
Neomycin sulfate, cholesterol turnover, rat, 10
Nephrotic syndrome, rats, lipid metabolism, 208
Neuraminic acid, nomenclature, 455
Neurological damage, lipid peroxidation in cats, 945
Neurospora crassa, ergosterol, configuration, PMR, 365
Neutral lipid, biosynthesis from glucose, cultured hepatoma cells, 254
—— plant, TLC, 239
—— plasma sheep fatty acid profile, fat-free infusion, 235
Nomenclature, lipids, 455
5'-Nucleotidase, marker enzyme, plasma membrane, 327
Nuclear magnetic resonance spectra, see spectra, nuclear magnetic resonance
Nutrition, partially hydrogenated low erucic oils, 769

O

Obesity, effect of dehydroepiandrosterone, 409
—— lipid synthesis, rat, dietary fat, 135
—— prevention in mouse, 409
Octadec-9 enol, metabolism in rat brain, 872
Octadeca-5,11-dienoic acid, slime mold, 414
9,11-Octadecadienoate, from castor oil, 914
cis-9-trans-12-Octadecadienoate, stereospecific synthesis, 760
Octadecanoates, dideuterated, preparation, 92
Octadecenoic acid, *trans*-isomers, human milk, infant formulas, GLC, 407
Octadecanoic-4,4-d$_2$ acid, preparation, anodic coupling, 92
Octadecanol, see alcohols, primary, long chain
Oil seeds, *P. virgata,* acetotriglycerides, 736
—— soybeans stereospecific anal of TG, 15 cultivars, 1032
Oleate, methyl, autoxidation, GC-MS, 901
Oleate hydroperoxides, dtmn, 475
Oleic acid, autoxidation as monolayers on silica gel, 971
—— metabolism in rat tissue, 563
—— monolayer on silica gel, 965
—— prostaglandin biosynthesis, 604
—— stereospecific synthesis, 760
—— taurocholate absorption, rat intestinal loops, 193
—— uptake, metabolism, soybean cell cultures, 121
Oleyl p-(n-decyl) benzene sulfonate, hypocholesterolemic agent, 819
Oleyl p-toluenesulfonate, as hypocholesterolemic agent in rat, 686
Oligodendroglioma, human, fatty acid profile PC, PE and PE plasmalogen, 722
Oncopeltus fasciatus (Dallas), see milkweed bug
Oocyte, toad, lipid metabolism, 131
Ophiophagus hannah, see Cobra, King
Optical rotation, linoleic acid-9-D-hydroperoxide, 324
—— phospholipids, 529
Optical rotary dispersion, alchornoic acid, 610
Ounhaugu, dienoic fatty acids, fatty acid profile, 170
Ouricuri wax, triterpenes, GLC, 233
Ox brain, phospholipids, 529
Oxidation, permanganate-periodate $\Delta^{2,4,6}$ 10:3, 707
β-Oxidation, rat heart mitochondria, *cis,trans* acids, 177
Oxo-epoxy fatty acids, TLC, GLC, GC-MS, 941
9-Oxo-trans-12,13-epoxy-trans-10-octadecenoic acid, linoleate oxidation, 941
Oxoesters, methyl, reduction, $NaBD_4$, hydroxy esters, 92
9-Oxononanoic acid, addition to cysteine, synthesis, 655
Oxooctadecanoates, dideuterated, prep, tosylhydrazones, reduction, 92
Oxygen electrode, kinetics of soybean lipoxygenase isoenzymes, 732
Oxygenated fatty acids, identification, isolation and purification, 613
—— and soybean flavor, soybean phosphatidyl cholines, 613
Oyster, dienoic fatty acids, fatty acid profile, 170
—— phospholipid and phosphono-lipid, distribution, effect of starvation, 449
Ozonolysis, alchornoic acid, 610
—— fatty acids of sponge, 570
—— monoethylenic acids, oxidative fission products, GLC, 293
—— monoethylenic unsaturation, BF_3-MeOH reagent, 293
—— reductive, fatty acids, rat brain lipids, 763

P

Palmitate, uptake by perfused rat lung, 930
Palmitic acid, monolayer on silica gel, 965
Palmitoyl-^{14}C-CoA oxidation, effect of di-2-ethylhexyl phthalate, 581
Palmityl-CoA, rat liver, 434
Pancreatic colipase, lipase interaction, 393
Pancreatic duct, rat, ligation, 149
Pancreatic juice, phosphatidyl choline absorption, rat, 149
Pancreatic lipase, colipase interaction, 393
—— digestibility of partially hydrogenated herring oil, 791
—— human brain tumor PL, 722
—— *P. virgata* acetotriglycerides, 736
—— in stereospecific anal, 775
—— stereospecific anal milk TG, 1005
Paper chromatography, see chromatography, paper
Paraplegia, ethanol potentiated spinal cord trauma in cats, 945
Peanut lipoxygenase, calcium activation, linoleate hydroperoxide isomers, linoleate oxidation, oxygen consumption, pentane production, pH optima, 418
—— inhibition due to cyanide, 682
Peanut oil, stereospecific anal, 775
Penaeus setiferus, see shrimp
Pentane, decomposition of linoleate or arachidonate hydroperoxide, 894
—— linoleate hydroperoxide scission, expiration, vitamin E-deficient rat, 109
—— rat breath, GC, 109
Perfusion, apparatus, rat lung, 930
Peripheral nervous system, rat, sterol content, effect of hypocholesterolemic drugs, 841
Periwinkle, dienoic fatty acids, fatty acid profile, 170
Peroxides, cyclic, linolenate autoxidation, 1055
—— ethanol potentiation in spinal cord trauma, 945
—— 18:2, 18:3, and 20:4 with hematin, 894
—— induced by CCl_4 or $BrCCl_3$, 914
—— lipids of rat lung, 596
pH optima, peanut lipoxygenase, 418
Phaeophyta, dienoic fatty acids, fatty acid profile, 170
Phenobarbital, effect on hepatic PC fatty acid composition, 889
Phenylphosphatides, in stereospecific anal, 775
bis-Phosphatidates, soybean, fatty acid profile, 451
Phosphatidic acid, pyro, novel cellular lipid in yeast, turnover, 809
bis-Phosphatidic acid, in developing soybean, 1083
—— identification, isolation from soybeans, 451
Phosphatidyl choline, biliary, micellar, intestinal absorption, 149
—— cholesterol complex, biolayer membrane, model, 348
—— dialkyl, diether, liposome swelling, 863
—— dialkyl, diether, monolayers with cholesterol, 857
—— erucic acid uptake by rat liver epithelial cells, 1043
—— exogenous, biliary, rat intestine, hydrolysis, 149
—— incorporation of fatty alcohols, in brain, 872
—— liposome swelling, 863
—— molecular species, biosynthesis, goldfish, 316
—— molecular species in rat liver, 889
—— monolayers with cholesterol, 857
—— rabbit lung surfactant, 879
—— rat heart cell cultures, fatty acid profile, 375
—— soybean, exogenous fatty acid incorporation, cell cultures, 121
—— soybean, oxygenated fatty acids, 613
Phosphatidyl ethanolamine, erucic acid uptake by rat liver epithelial cells, 1043
—— incorporation of fatty alcohols in brain, 872
—— isolation and purification, 529
—— rat heart cell cultures, fatty acid profile, 375
—— separation by argentation chromatography, 529
—— exogenous fatty acid incorporation, cell cultures, 121
Phosphatidyl phenols, stereospecific anal milk TG, high 18:2, 1005
Phosphatidyl serine, isolation and purification, 529
—— molecular species, ox brain, pig brain, pig erythrocytes, rabbit muscle, rat liver, 529
—— separation by argentation chromatography, 529
Phospholipase A, bovine milk PC and PE, 983
—— serum lipoproteins, inhibition haemagglutination, 85
Phospholipase A_2, *bis*-phosphatidic acid, 1083
—— hydrolysis, phosphatidyl choline, exogenous, biliary, rat intestine, 149
—— hydrolysis rat liver phosphonolipids, 75
—— stereospecific anal milk TG, high 18:2, 1005
Phospholipase C, diglycerides from PC, 889
—— human brain tumor PL, 722
—— hydrolysis brain lipids, 188
—— milk lysophosphatides, *B. cereus,* 983
Phospholipid, biosynthesis from glucose, cultured hepatoma cells, 254
—— bovine tissue, milk, phytanic acid content, 115
—— cardiac, pig, dietary fat, fatty acid, aldehyde profile, 159
—— fatty acid profile, liver, fasting-refeeding, dietary fat, 386
—— field desorption mass spectrometry, 847
—— glycerol incorporation, developing toad, 131
—— human adrenals, 620

—— human alveolar tumor cells, 438
—— lung surfactant, 505
—— mouse brain, 661
—— nomenclature, 455
—— oyster, and phosphono lipid, distribution, 449
—— oyster, effect of starvation, 449
—— phosphorus incorporation, developing toad, 131
—— plasma, rats, nephrotic syndrome, 208
—— plasma sheep fatty acid profile, fat-free infusion, 235
—— rabbit lung lavage, type II pneumocytes, 438
—— rat, effect of tibric acid, 684
—— rat heart cell cultures, erucic acid, 375
—— rat heart comp, fatty acid profile, dietary rapeseed oil, 301
—— rat heart, and dietary fat, 486
—— rat, incorporation of erucic acid, 563
—— rat intestine, TLC, 149
—— rat lung, 596
—— rat serum, tissues, dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— serum, liver 3-hydroxy-3-methylglutaric acid, dietary carbohydrate, 262
—— sheep plasma, 423
—— trout, effect of dietary fat, 495
Phospholipid profile, rat brain capillary endotheilia, phospholipids, 165
Phospholipid synthesis, enzymes, rat liver plasma membranes, 140
—— inhibition, hydroxycitrate, 1
Phospholipid trifluoroacetamides, prep, 529
Phosphonolecithin, synthesis, rat tissues, 75
Phosphonolipids, fractionation, TLC, radio TLC, 75
—— oyster, and phospholipid, distribution, effect of starvation, 449
—— rat tissues, incorporation, 2-aminoethylphosphoric acid, 75
Phosphorus, analysis, TLC fractions, 698
—— incorporation, toad lipids, development, 131
Phosphorylcholine, preparation, IR, 314
Phosphorylcholine chloride, Ca salt, conversion to phosphorylcholine, 314
o-Phthaldehyde, cholesterol dtmn, 1078
Phytane, bovine rumen liquor, 204
Phytanic acid, bovine lipids, GLC, 115
—— bovine tissues, milk, lipid fractions, 115
Phyt-1-ene, bovine rumen liquor, 204
Phyt-2-ene, *cis, trans,* bovine rumen liquor, 204
Phytol, bovine rumen liquor, 204
—— dietary, hydrocarbons, bovine rumen liquor, 204
Phytosterols, comp, metabolism, milkweed bug, 318
22-Phytosteryl acetate, bromination dibromopyridine sulfate, 297
Pig brain, erythrocytes, phospholipids, 529
—— cardiac phospholipids, dietary fat, fatty acid, aldehyde profile, 159
—— heart, liver, mitochondria, effects of dietary di-2-ethylhexyl phthalate, 581
—— liver, fatty acids, cholesteryl esters GLC, 228
Pike, northern, testes, furan fatty acids, 828
Pine, germinating seeds, sterol biosynthesis, squalene, 382
Pinus pinea, see pine
Plant cell cultures, fatty acid uptake, metabolism, 121
Plant lipids, neutral, TLC, 239
Plasma, lipid metabolism, rats, nephrotic syndrome, 208
—— monkey, triglyceride secretion rate vs cholesterol level, 936
—— rat, cholesterol lowering, 686
—— rat, sterol content, hypercholesterolemic drugs, 691
—— sheep, fat-free infusion, fatty acid profile, 235
Plasma cholesterol, calf, effect of dietary fat, 586
—— cat, dog, guinea pig, suckling, weaned, 145
Plasma lipids, hamster, 550
—— sheep, 423
Plasma triglycerides, action of halofenate, 34
Plasmalogen, choline, human brain tumor, 188
Plasticizers, see di-2-ethylhexyl phthalate
Pneumocytes, rabbit, phospholipids, 438
Poinsettia, see *Euphorbia pulcherrima* Willd
Polarimetry, *P. virgata* acetotriglycerides, 736
Polychaete, marine, branched monoenoic fatty acids, 717
Polygala virgata, acetotriglycerides, 736
Polyoxyethylene glycerides, monolayers with cholesterol, 857
Portenschlagia ramosissima (Port.), see umbelliferae
Probucol, cholesterol absorption, 29
—— hypocholesterolemic effect, rat, mouse, monkey, 29
—— lipid synthesis, rat, mouse, 29
—— liver enzymes, rat, 29
Prostaglandins, biosynthesis, 591
—— dtmn, 604
Prostaglandin synthetase, action of halofenate, 34
Protein, animal, vegetable, atherosclerosis, hypercholesteremia, 49
—— from rabbit lung T and S, 879
—— rat liver mitochondria, and dietary di-2-ethylhexyl phthalate, 581
Proton magnetic resonance spectra, see spectra, proton magnetic resonance
Pulmonary surfactant, rabbit lung, 879
Pulse chase, human aorta smooth muscle cells in culture, 1069
Pumpkin, sterols, 511
Pyrazole, and 2-mercaptoethanol, 641
Pyrolysis, HPLC-MS interface, 797
Pyrophosphatidic acid, novel cellular lipid in yeast, turnover, 809
Pyruvate, lipogenesis in rat aorta, diaphragm and fat pad, 1012
—— lipogenesis in rat jejunum, 1080
—— production by perfused rat lung, 930
Pyruvate dehydrogenase, action of halofenate, 34

R

Rabbit, fetus, lung development, 1050
—— heart mitochondria, effects of dietary di-2-ethylhexyl phthalate, 581
—— lung, distribution of lipids, proteins and surface activity, 879
—— lung, fetal development, dipalmitoyl phosphatidyl choline, 1050
—— lung lavage, fatty acid profile, 438
—— mammary gland microsomes, enzyme kinetics, 556
—— muscle, phospholipids, 529
—— tissue hydrocarbons, 198
—— type II pneumocytes, phospholipids, 438
Radicals, alkyl, generation, dialkylsulfoxides, reaction with α-tocopherol, 105
Radioisotopic assay, cholesterol and bile acids in rat, 676
—— sterculic acid in rat, 629
Rapanae laetevirens, seed lipids, alkyl-, alkenylresorsinols, 402
Rapeseed oil, dietary fatty acid balance and myocardial lesions, 951
—— dietary, rat heart phospholipids, fatty acid profile, 301
—— effects on rat heart, 486
—— natural, randomized, heart lipids, lesions, 215
—— prostaglandin synthesis, 604
—— rat liver epithelial cells in culture, 1043
—— Span, effect of partial hydrogenation on rat heart, 769
—— Tower, effect of partial hydrogenation on rat heart, 769
Rat, aorta, lipogenesis from branched chain amino acids, 1012
—— aorta, stearoyl CoA desaturase activity and membrane fluidity, 1025
—— brain, lipogenesis from acetate and glucose ^{14}C, 763
—— brain, lipogenesis, ketone bodies, 957
—— brain, metabolism of fatty alchohols, 872
—— CNS, sterol content, effect of hypocholesterolemic drugs, 841
—— diaphragm, lipogenesis from branched chain amino acids, 1012
—— distribution of sterculic acid, 629
—— epididymal fat pad, lipogenesis from branched chain amino acids, 1012
—— fatty liver, effect of 2-mercaptoethanol, 641
—— heart, dietary fatty acid balance and myocardial lesions, 951
—— heart, effect of partially hydrogenated low erucic oils, 769
—— heart, metabolism of erucic and cetoleic acid, 563, 791
—— hepatocytes, cyclic AMP, insulin and glucagon, lipogenesis, 577
—— hepatocytes, inhibition of lipid synthesis by 5-(tetradecyloxy)-2-furoic acid, 814
—— intestine, cholesterol metabolism, 676
—— intestine, lipogenesis, ^{14}C-pyruvate and acetate, 1080
—— kidney, metabolism of erucic acid, 563
—— lung lipids, peroxidation and age, 596
—— lung, perfused, substrate metabolism, 930
—— lymph lipoproteins, electrophoresis, size distribution, 500
—— metabolism of sterculic acid, 629
—— peripheral nervous system, sterol content, effect of hypocholesterolemic drugs, 841
—— plasma, cholesterol lowering, 686
—— plasma, sterol content, hypercholesterolemic drugs, 691
—— serum lipids, effect of tibric acid, 684
—— serum lipids, effect of 3-hydroxy-3-methylglutaric acid, 689
—— skin, prostaglandin synthesis, 604
—— spleen, metabolism of erucic acid, 563
—— testes, PUFA metabolism, Δ^6-desaturase activity, 1017
—— Zucker, lean, obese, lipid synthesis, dietary fat, 135

Rat heart mitochondria, effect of dietary erucate and elaidate, 486
—— effects of dietary di-2-ethylhexyl phthalate, 581
Rat liver, chain elongation, 434
—— cholesterol lowering, 686
—— cholesterol metabolism, 676
—— effect of ethionine and phenobarbital on PC fatty acids, 889
—— epithelial cells in culture, erucic acid, 1043
—— inhibition of lipid synthesis by 5-(tetradecyloxy)-2-furoic acid, 814
—— lipid peroxidation induced by CCl_4 or $BrCCl_3$, 914
—— metabolism of erucic acid, 563
—— palmityl-CoA, 434
—— phospholipids, 529
—— stearyl-CoA, 434
—— sterol content, hypercholesterolemic drugs, 691
Rat liver lipids, effect of 3-hydroxy-3-methylglutaric acid, 689
—— effect of tibric acid, 684
Rat liver mitochondria, and dietary fat, 486
—— effects of dietary di-2-ethylhexyl phthalate, 581
Reduction, $LiAlH_4$, $LiAlD_4$, methylesters, tosylates, mesylates, 92
—— $NaBH_4$ methyl linoleate hydroperoxides, 99
Regioselectivity, autoxidation of linolenate, 837
Resorcinols, alkyl-alkenyl-, TLC, GLC, NMR, MS, counter current distribution, seed lipids, 402
Respiratory distress syndrome, fetal development, dipalmitoyl phosphatidyl choline, 1050
Rhizopus arrhizus, lipase, pancreatic colipase interaction, 393
RMI 4514, see 5-(tetradecyloxy)-2-furoic acid
Rockbass, furan fatty acids, 828
Rotifer, tocopherol assay, 875
Rubella virus, haemagglutination, inhibition, lipoproteins, 85
Rumen liquor, bovine, hydrocarbons, dietary phytol, 204

S

S-adenosyl-L-methionine: phosphatidyl ethanolamine N-methyltransferase, effect of ethionine and phenobarbital, 889
—— rat liver, 140
Saccharomyces cerevisiae, see yeast
Saimiri sciureus, see squirrel monkey
Salmo gairdneri, see trout
Salvenlinus fontinalis, see brooktrout
Saturated fat, effect on trout lipid, 495
Scallop, dienoic fatty acids, fatty acid profile, 170
Seeds, germinating, pine, sterol synthesis, 382
Selena fatty acids, antimicrobial activity, 753
Separation factors, GLC, cholesteryl esters, stearyl esters, methyl esters, 228
Serum, human, cholesterol dtmn, micromethod, 1078
—— rabbit hydrocarbon profile, 198
Serum cholesterol, depression by gemcadiol, 44
—— dietary protein, fat, carbohydrate and fiber, 49
—— lowering, diet, ileal bypass, 53
—— lowering of, drug-induced, 22
—— lowering, hydroxycitrate, 1
—— probucol, 29
Serum lipids, 3-hydroxy-3-methylglutaric acid, dietary carbohydrate, 262
—— rat dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— rat, effect of 3-hydroxy-3-methylgutaric acid, 689
—— rat, effect of tibric acid, 684
Serum lipoproteins, rabbit, cholesteryl esters, fatty acid profile, 222
Serum triglyceride, depression by gemcadiol, 44
—— lowering, hydroxycitrate, 1
Sheep, fat-free infusion, plasma fatty acid profile, 235
—— plasma lipids, 423
—— tissue lipids, medium chain, branched chain fatty acids, 340
—— vesicular tissue, cyclooxygenase, 591
Shift reagents, NMR of *P. virgata* acetotriglycerides, 736
Silica gel, dehydration, 965
Simiarenol, in ouricuri wax, 233
Skin, canine, surface lipids, diester waxes, 786
—— rhino mutant muose, triesters, 283
Slime mold, cyclopropane fatty acids, fatty acids, lipids, octadeca-5,11-dienoic acid, Δ-22-stigmastenol, 414
Snail, moon, dienoic fatty acids, fatty acid profile, 170
Sonication, serum lipoproteins, inhibition haemagglutination, 85
Sorbic acid, in aphid triglycerides, 765
Soybean, argentation TLC of TG, 1037
—— cell cultures, fatty acid uptake, metabolism, 121
—— immature, *bis*-phosphatidic acid, 1083
—— lipids, TLC, 121
—— lipoxygenase, pH optimum of isoenzymes, 732
—— lipoxygenase, substrate activity of isoenzymes 1, 2 and 3, 732
—— oil, dietary, cholesterol in calf blood and tissue, 586
—— *bis*-phosphatidic acid, 451
—— phosphatidyl cholines, oxygenated fatty acids, 613
—— stereospeciic anal of TG, 15 cultivars, 1032
Spectra, fluorescence, lipid soluble tissue extract, 945
Spectra, infra red, alkyl ethers, cyclohexadienones, α-tocopherol, 105
—— aromatic ethers, umbelliferae seed, 321
—— dialuric acid, 981
—— hydroxylinolenates, 837
—— linoleate autoxidation products, 908
—— linoleic acid-9-D-hydroperoxide, 324
—— $\Delta^{2,4,6}$ 10:3 methyl esters, 707
—— methyl linoleate hydroperoxides, 99
—— 9-oxo-*trans*-12,13-epoxy-*trans*-10-octadecenoic acid, 941
—— oxygenated fatty acids, 613
—— *P. virgata* acetotriglycerides, 736
—— phospholipids, 529
—— phosphorylcholine, 314
—— resorcinols, alkyl-alkenyl-, 402
—— silica gel G discs, dehydration, 965
—— steryl acetates, 297
Spectra, mass, alchornoic acid, 610
—— alkyl ethers, cyclohexadienones, α-tocopherol, 105
—— aromatic ethers, umbelliferae seed, 321
—— dialuric acid, 981
—— dihydroxyoctadecanoates, 901, 908
—— epoxy acids, 971
—— epoxyoctadecanoates, 901
—— field desorption, methyl oleate, methyl stearate, phospholipids, terpenes, steroids, triglycerides, 847
—— GLC, rat liver fatty acids, hydroxy esters, 307
—— from HPLC via chemical ionization, 797
—— hydroxy-epoxy octadecanoate, 908
—— hydroxylinolenates, 837
—— hydroxyoctadecanoates, 901, 908
—— iso and anteiso monoenoic fatty acids, 717
—— keto-octadecanoate, 908
—— linoleate autoxidation, 908
—— linoleate oxidation products, 941
—— linoleic acid-9-D-hydroperoxide, 324
—— linolenate autoxidation products, 1055
—— 2-methyl- and 3-methylbutyrate, 786
—— $\Delta^{2,4,6}$ 10:3 methyl esters, 707
—— N-α-lithocholyl-L-lysine, 922
—— N-ε-lithocholyl-L-lysine, 922
—— N-α-ε-*bis*-lithocholyl-L-lysine, 922
—— oleate autoxidation products, 901
—— phospholipids and their trifluoroacetamides, 529
—— resorcinols, alkyl-alkenyl-, 402
—— sorbic acid containing TG from aphids, 765
—— sterols, 511
—— sterols, acetates, TMS derivatives, 398
—— trihydroxy octadecanoate, 908
Spectra, nuclear magnetic resonance, acetotriglycerides, 736
—— alchornoic acid, 610
—— 2,3-alkanediols, 626
—— aromatic ethers, umbelliferae seed, 321
—— ^{13}C, alkyl ethers, cyclohexadienones, α-tocopherol, 105
—— ^{13}C, butyrate in butter oil, 869
—— ^{13}C, *cis* and *trans*-12- 18:2, -18:1ω9, 760
—— ^{1}H, alkyl ethers, cyclohexadienones, α-tocopherol, 105
—— linoleic acid-9-D-hydroperoxide, 324
—— methyl linoleate hydroperoxides, 99
—— 9-oxo-*trans*-12,13-epoxy-*trans*-10-octadecenoic acid, 941
—— oxygenated fatty acids, 613
—— phospholipids, 529
—— resorcinols, alkyl-, alkenyl-, 402
—— triesters rhino mutant mouse skin, 283
Spectra, proton magnetic resonance, ergosterol, configuration, 365
—— sterols, 511
Spectra, ultraviolet, alkyl ethers, cyclohexadienones, 105
—— aromatic ethers, umbelliferae seed, 321
—— conjugated diene, 894, 914
—— hydroxylinolenates, 837
—— linoleate monolayer autoxidation products, 971
—— linoleic acid-9-D-hydroperoxide, 324
—— $\Delta^{2,4,6}$ 10:3 methyl esters, 707
—— methyl linoleate hydroperoxides, 99
—— 9-oxo-*trans*-12-13-epoxy-*trans*-10-octadecenoic acid, 941
Spectroscopy, ^{13}C nuclear magnetic resonance, isano oil fatty acids, 669
Spermatogenesis, rat testes, PUFA metabolism, 1017
Spermatozoa, in EFA-deficient gerbils, 741
Sphingomyelin, erucic acid uptake by rat liver epithelial cells, 1043
—— pig heart, dietary fat, fatty acid profile, 159
—— rat heart, erucic acid incorporation, dietary rapeseed oil, 301
—— rat heart cell cultures, fatty acid profile, 375
Spinal cord, feline, free and esterified cholesterol drug development, 711

—— lipid peroxidation, ethanol potentiated trauma, 945
Spleen, cholesterol deposition, hypocholesterolemic drugs, 22
—— lipids, rat dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— rabbit hydrocarbon profile, 198
—— rat, incorporation, 2-aminoethylphosphoric acid, 75
—— rat, metabolism of erucic acid, 563
Sponge, incorporation of acetate-^{14}C into C_{26} fatty acids, 570
Spray reagents, for TLC of PL, 983
Squalene, conversion to sterols, pine seeds, 382
Squid, dienoic fatty acids, fatty acid profile, 170
Squirrel monkey, triglyceride secretion rate, 936
Starch, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
Starfish, dienoic fatty acids, fatty acid profile, 170
Starvation-refeeding, rat, chain elongation, 434
Stearic acid, ^{3}H, metabolism in mouse brain, 661
Stearoyl CoA desaturase, assay, effects ascribed to dietary fat, 1025
—— rat, assay, dietary carbohydrate, dietary linoleate, dietary palmitate, dietary regulation, fatty acid synthetase, 469
Steral esters, preparation, GLC, 228
Sterculate, methyl, TLC, 480
Sterculia foetida, see sterculic acid
Sterculic acid, inhibition of desaturases, 480
—— rat, and methyl ester, excretion, metabolism, 629
Sterculoyl-CoA, effect on desaturases, 480
Stereospecific analysis, butyrate in butter, ^{14}C-NMR, 869
—— peanut oils, 775
—— soybean triglycerides, 1032
—— triglycerides, milk, high 18:2, 1005
Steroids, field desorption mass spectrometry, 847
Sterol biosynthesis, inhibition by 5-(tetradecyloxy)-2-furoic acid, 814
—— sites of action of hypocholesterolemic drugs, 841
—— yeast, 645, 666
Sterol-ester hydrolase, prep, 819
Δ^{24}-Sterol reductase, compounds inhibiting, 691
Sterols, acetates, TMS-derivatives, GLC, MS, 398
—— biosynthesis in plants, ferns, laurel, mass spectra, maidenhair tree, plant ovulation, proton magnetic resonance spectra, pumpkin, tracheophytes, 511
—— biosynthesis from squalene, pine seeds, 382
—— comp, utilization, metabolism, milkweed bug, 318
—— *Cronartium fusiforme,* 398
—— dtmn, 819
—— effect of cerulenin on synthesis in yeast, 729
—— free and esterified, canine skin surface lipids, 786
—— GLC, plasma and liver, 691
—— unsaturated, bromination, dibromopyridine sulfate, 297
—— yeast mutants, 645
Δ-22-Stigmastenol, slime mold, 414
Subcellular fractions, mouse brain, 661
Succinate dehydrogenase, marker enzyme, mitochondria, 327
Succinylation, serum lipoproteins, 85
Suckling, effect on plasma cholesterol, 145
Sucrose, dietary, 3-hydroxy-3-methylglutaric acid, serum, liver lipids, 262
Sulfophosphovanillin, total lipid dtmn, 691
Sunflower oil, lipid synthesis, lean, obese rat, 135
Surface area, silica gel, 965
Surface tension, rabbit lung surfactant, 879
Surfactant, lung, 505
—— lung, phospholipid comp, 438
—— rabbit lung during fetal development, 1050

T

Tallow, dietary, cholesterol in calf blood and tissue, 586
Taraxerone, in ouricuri wax, 233
Taraxeryl acetate, in ouricuri wax, 233
Taurochenodeoxycholate sodium, cholesterol synthesis, rat liver, intestine, 245
Taurocholate, absorption, rat intestinal loops, 193
—— rat, bile acid synthesis, liver cholesterol, cholesterol absorption, cholesterol biosynthesis, cholesterol excretion, 676
—— sodium, cholesterol synthesis, rat liver, intestine, 245
Taurodehydrocholate, sodium, cholesterol synthesis, rat liver, intestine, 245
Teeth, calves', unerupted, pulp, lipase activity, 236
Terpenes, field desorption mass spectrometry, 847
Testes, gerbil, fatty profile EFA + or −, histology in EFA-deficiency, 741
—— northern pike, furan fatty acids, 828
—— lipids, rat dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— rat, PUFA metabolism, Δ^{6}-desaturase acitivity, 1017
Tetracosanol, see alcohols, primary, long chain
Tetracyanoethylene-^{14}C, dtmn of conjugated dienes, synthesis and purification, 914
—— spray reagent for furan fatty acids, 828
5-(Tetradecyloxy)-2-furoic acid, inhibition of lipid synthesis, 814
Tetradeutero alcohols, conversion to methyl dideutero esters, 92
2,2,9,9,-Tetramethyl-1,10-decanediol, see gemcadiol
3,7,11,15-Tetramethylhexadecanoic acid, see phytanic acid
Thin layer chromatography, see chromatography, thin layer
Thiobarbituric acid, malonaldehyde in spinal cord injury, 945
Tibric acid, effect on cholesterol synthesis in rat liver, and on rat liver and serum lipids, 684
Tissue cholesterol, calf, effect of dietary fat, 586
Titrimetry, kinetics of soybean lipoxygenase isoenzymes, 732
TMS, primary alcohols, GLC, 128
Toad developing, lipid metabolism, 131
Tobacco extract, neutral lipids, TLC, 239
Tocopherol, bioassay with rotifers, 875
α-Tocopherol, alkyl ethers, column chromatography, 105
—— alkyl ethers and cyclohexadienone, MS, UV, IR, ^{1}H-NMR, ^{13}C-NMR, 105
—— alkyl radical scavenging, products, 105
—— status, dialuric acid rbc hemolysis, 981
Tocotrienols, bioassay with rotifers, 875
TOFA, see 5-(tetradecyloxy)-2-furoic acid
p-Toluenesulfonates, deuterohydroxyacids, preparation, 92
Tomato lipoxygenase, specificity, 324
Tosyl hydrazones, oxooctadecanoates, reduction, 92
Tracheophytes, sterols, 511
Transmethylation, phospholipids, 914
Trichloroacetic acid-phosphotungstic acid, ganglioside precipitation, 979
Triesters, fatty acids, ω-hydroxy fatty acids, 1,2-alkanediols, synthesis, 283
—— skin, rhino mutant mouse, 283
—— TLC, NMR, 283
Triglycerides, bovine tissue, milk, phytanic acid content, 115
—— coconut oil GLC by degree of unsaturation, 1062
—— colorimetric dtmn, 936
—— containing butyric acid, ^{13}C-NMR, 869
—— containing sorbic acid in aphids, 765
—— field desorption mass spectrometry, 847
—— glycerol incorporation, developing toad, 131
—— hydrolysis, pulp, unerupted calves' teeth, 236
—— liver, rats, nephrotic syndrome, 208
—— mouse, effect of dehydroepiandrosterone, 409
—— pig heart, dietary fat, fatty acid profile, 159
—— plasma, action of halofenate, 34
—— plasma tumors, mice, Ehrlich ascites carcinoma, 153
—— profile, high and low 18:2 milk fat, 994
—— rapeseed oil, randomized, rat heart lipids, lesions, 215
—— rat, effect of tibric acid, 684
—— rat, incorporation of erucic acid, 563
—— rat lung, 596
—— rat serum, tissues, dietary fat, 3-hydroxy-3-methylglutaric acid, 258
—— secretion rate in squirrel and cebus monkeys, 936
—— serum linoleic acid amides, 16
—— serum, depression by gemcadiol, 44
—— serum, liver 3-hydroxy-3-methylglutaric acid, dietary carbohydrate, 262
—— sheep plasma, 423
—— soybeans, exogenous fatty acid incorporation, cell cultures, 121
—— synthesis, action of halofenate, 34
—— trout, effect of temp, fatty acid distribution, stereospecific anal, 538
—— types in 13 soybean cultivars, 1037
9,10,12-Trihydroxyoctacanoate, linolenate autoxidation GC-MS, 1055
9,10,13-Trihydroxyoctadecanoate, synthesis of diastereoisomers, 1055
Tripalmitin, lymph particles, 500
Triparanol, sterol formation in nervous system, 841
Triterpene, esters from *E. pulcherrima* latex, 707
—— ouricuri wax, GLC, TLC, 233
Triton, rat lipid synthesis, inhibition, hydroxycitrate, 1
—— triglyceride secretion rates in monkeys, 936
Trout, brook, furan fatty acids, 828
—— lipid, fatty acid profile, 495
—— phospholinid, fatty acid profile, 495
—— triglycerides, fatty acid distribution, 538
Tumor, brain, human, fatty acid profile PC, PE and PE plasmalogen, 722
—— cell, cultured, cholesterol esterification, 222
—— human brain, ether-linked glycerolipids, 188
Turkey skin lipids, and biotin, erythro-2,3-diols, fatty acids 626

U

Ultracentrifugation, analytical, lipoprotein assay, 278
—— density gradient, rabbit lung fractions, 879
—— lipoproteins, ascites plasma, 66
—— rabbit lung fractions, 879
—— serum lipoproteins, 85
Ultraviolet spectra, see spectra, ultraviolet
Umbelliferae seed, myristicin in essential oils, 321
Undecamonoenoic acids, $\Delta^{2\text{ to }10}$, antimicrobial activity, 753
Undecamonoynoic acids, $\Delta^{2\text{ to }10}$, antimicrobial activity, 753
Unsaturated fatty acids, of sponge, 570
Unsaturation, monoethylenic, position, ozonolysis, 293
Uranyl acetate, deproteinization of serum, 1078
Urea, permeability of liposomes with and without cholesterol, 863

V

Valine, lipogenesis in rat aorta, 1012
Vernolic acid, homolog, 610
Vernonia antihelmintica, threo-12,13-dihydroxy-*cis*-9- octadecenoate, 760
Virus, rubella, haemagglutination, inhibition, lipoproteins, 85
Vitamin E, bioassay with rotifers, 875
—— dietary, ethane, pentane, expiration, rat, 109
—— status, dialuric acid rbc hemolysis, 981

W

Wax, cattle tick eggs, hydrocarbons, fatty acids in fatty alcohols, 182
—— diester, canine skin surface lipids, 786
Weaning, effect on plasma cholesterol, 145

X

Xanthomata, reduction in, clinical effectiveness, hypolipidemic drugs, 64

Y

Yeast, effect of cerulenin on fatty acid biosynthesis, 729
—— ergosta-8,14-dien-3β-ol, 666
—— ergosterol, configuration, PMR, 365
—— mutants, sterols in, 645
—— pyrophosphatidic acid turnover, 809
—— sterol biosynthesis, 645, 666

Z

Zuclomiphene, sterol formation in nervous system, 841
Zucker rat, lipid synthesis, inhibition, hydroxycitrate, 1
Zymosterol, yeast, 645